

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: KiiltoClean Oy - Klorilli - 3100268,8109,8110 1.1 3100268

#### Relevant identified uses of the substance or mixture and uses advised against: 1.2

Relevant uses: Disinfectant . For professional user only.

Uses advised against (Professional user): not defined

#### 1.3 Details of the supplier of the safety data sheet:

KiiltoClean Ov Tengströminkatu 6 PL157, 20101 Turku - FINLAND Phone .: +358 (0) 207710400 asiakaspalvelu@kiiltoclean.fi www.kiiltoclean.fi

Emergency telephone number: Poison advisory center in Finland: +358 9 471 977 1.4

### SECTION 2: HAZARDS IDENTIFICATION \*\*

#### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Met. Corr. 1: Corrosive to metals, Category 1, H290 Resp. Sens. 1: Sensitisation, respiratory, Category 1, H334 Skin Corr. 1B: Skin corrosion, Category 1B, H314

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Dange



#### Hazard statements:

Met. Corr. 1: H290 - May be corrosive to metals Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

### **Precautionary statements:**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray P280: Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician Supplementary information:

EUH031: Contact with acids liberates toxic gas EUH208: Contains Chloramine T. May produce an allergic reaction Contains Kloramin T. May cause an allergic reaction

#### 2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

\*\* Changes with regards to the previous version

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### 3.2 Mixture:

#### Chemical description: Aqueous mixture composed of organochloride compounds

#### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identificatio	n		Chemical name/Classification		
CAS: 127-65-1		Chloramine T I 1	ATP CLP00		
EC: 204-854-7 Index: 616-010-00-9 REACH: Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Resp. Sens. 1: H334; Skin Corr. 1B: H314; EUH031 - Danger	5 - <15 %		
CAS: 10213-79-3		Sodium metasilicate pentahydrate 1 Self-classified			
EC: Non-applicable Index: Non-applicable REACH: 01-2119449811-37-XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	1 - <5 %		
CAS: 97489-15-1		Sodium alkyl sec. sul	fonate 1 Self-classified		
EC: 307-055-2 Index: Non-applicable REACH: 01-2119489924-20-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <5 %		

□<sup>1</sup>□ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:



# SECTION 5: FIREFIGHTING MEASURES (continued)

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 25 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Sodium metasilicate pentahydrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	1,49 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	6,22 mg/m <sup>3</sup>	Non-applicable
Sodium alkyl sec. sulfonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 97489-15-1	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 307-055-2	Inhalation	Non-applicable	Non-applicable	35 mg/m <sup>3</sup>	Non-applicable

#### DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Sodium metasilicate pentahydrate	Oral	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	1,55 mg/m <sup>3</sup>	Non-applicable
Sodium alkyl sec. sulfonate	Oral	Non-applicable	Non-applicable	7,1 mg/kg	Non-applicable
CAS: 97489-15-1	Dermal	Non-applicable	Non-applicable	3,57 mg/kg	Non-applicable
EC: 307-055-2	Inhalation	Non-applicable	Non-applicable	12,4 mg/m <sup>3</sup>	Non-applicable

#### PNEC:

Identification				
Sodium metasilicate pentahydrate	STP	1000 mg/L	Fresh water	7,5 mg/L
CAS: 10213-79-3	Soil	Non-applicable	Marine water	1 mg/L
EC: Non-applicable	Intermittent	7,5 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Sodium alkyl sec. sulfonate	STP	600 mg/L	Fresh water	0,04 mg/L
CAS: 97489-15-1	Soil	9,4 mg/kg	Marine water	0,004 mg/L
EC: 307-055-2	Intermittent	0,06 mg/L	Sediment (Fresh water)	9,4 mg/kg
	Oral	53,3 g/kg	Sediment (Marine water)	0,94 mg/kg

#### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Madetary hand NON-disposable chemical protective gloves EN 374-3:2003/AC:2006 EN 420:2003+A1:2009 the product is being used. Do not use protective creams after the product has come into contact	Pictogram	PPE	Labelling	CEN Standard	Remarks
protection	Mandatory hand			EN 374-3:2003/AC:2006	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks			
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.			
E	E Body protection							
	Pictogram	PPE	Labelling	CEN Standard	Remarks			
		Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.			

Emergency measure	Standards	Emergency measure	Standards	
+	ANSI Z358-1 ISO 3864-1:2002	<b>0</b> +	DIN 12 899 ISO 3864-1:2002	
Emergency shower		Eyewash stations		

Protective gloves complying with EN374: butylrubber, nitrile rubber, natural rubber, PVC. Breakthrough time  $\geq$  480 min, material thickness  $\geq$  0,7 mm

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	L Information on basic physical and chemical properties:					
	Appearance:					
	Physical state at 20 °C:	Liquid				
	Appearance:	Fluid				
	Colour:	Colourless				
	Odour:	Not available				
	Odour threshold:	Non-applicable *				
	Volatility:					
	Boiling point at atmospheric pressure:	Non-applicable *				
	Vapour pressure at 20 °C:	Non-applicable *				
	Vapour pressure at 50 °C:	92,87 (12,38 kPa)				
	Evaporation rate at 20 °C:	Non-applicable *				
	Product description:					
	Density at 20 °C:	1038 kg/m³				
	Relative density at 20 °C:	Non-applicable *				
	Dynamic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 40 °C:	Non-applicable *				
	Concentration:	Non-applicable *				
	pH:	13,1				
	Vapour density at 20 °C:	Non-applicable *				
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.				

- CONTINUED ON NEXT PAGE -

Revised: 25/06/2019



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	S (continued)
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

SECT	ECTION 10: STABILITY AND REACTIVITY							
10.1	Reactivity:	Reactivity:						
	No hazardous reactions are	e expected because the pr	oduct is stable under reco	mmended storage condition	ons. See section 7.			
10.2	Chemical stability:							
	Chemically stable under the conditions of storage, handling and use.							
10.3	3 Possibility of hazardous reactions:							
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.							
10.4	4 Conditions to avoid:							
	Applicable for handling and storage at room temperature:							
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
10 E	Incompatible materials							

### Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Not applicable

To be avoided:aluminium.

#### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):

- Acute toxicity : Can be fatal after prolonged periods of exposure, as it releases toxic gases when it comes into contact with acids

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Prolonged exposure can result in specific respiratory hypersensitivity.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Sodium alkyl sec. sulfonate	LD50 oral	2980 mg/kg	Rat
CAS: 97489-15-1	LD50 dermal	Non-applicable	
EC: 307-055-2	LC50 inhalation	Non-applicable	
Chloramine T	LD50 oral	1000 mg/kg	Mouse
CAS: 127-65-1	LD50 dermal	Non-applicable	
EC: 204-854-7	LC50 inhalation	Non-applicable	

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available



### SECTION 12: ECOLOGICAL INFORMATION (continued)

### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Chloramine T	LC50	31 mg/L (96 h)	Poecilia reticulada	Fish
CAS: 127-65-1	EC50	Non-applicable		
EC: 204-854-7	EC50	Non-applicable		
Sodium alkyl sec. sulfonate	LC50	15 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 97489-15-1	EC50	10 mg/L (48 h)	Daphnia magna	Crustacean
EC: 307-055-2	EC50	120 mg/L (72 h)	Scenedesmus subspicatus	Algae

### 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Sodium alkyl sec. sulfonate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 97489-15-1	COD	Non-applicable	Period	28 days
EC: 307-055-2	BOD5/COD	Non-applicable	% Biodegradable	78 %

### 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
Chloramine T	BCF	2
CAS: 127-65-1	Pow Log	0.84
EC: 204-854-7	Potential	Low

12.4 Mobility in soil:

Not available

### **12.5** Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### **12.6 Other adverse effects:**

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1** Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 04 03*	organic halogenated solvents, washing liquids and mother liquors	Dangerous

# Type of waste (Regulation (EU) No 1357/2014):

HP12 Release of an acute toxic gas, HP8 Corrosive

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



<ul> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> </ul>	UN3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Chloramine T) 8 8 II No 274 E see section 9 1 L Non-applicable
<ul> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> </ul>	UN3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Chloramine T) 8 8 II No 274 F-A, S-B see section 9 1 L 18 Non-applicable
jerous goods by air:	
/ICAO 2019:	
<ul> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Physico-Chemical properties:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> </ul>	UN3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Chloramine T) 8 8 II No see section 9 Non-applicable
	<ul> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> <li>yerous goods by sea:</li> <li>5 38-16:</li> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> <li>yerous goods by air: /ICAO 2019:</li> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</li> <li>yerous goods by air:</li> <li>/ICAO 2019:</li> <li>4.1 UN number:</li> <li>4.2 UN proper shipping name:</li> <li>4.3 Transport hazard class(es): Labels:</li> <li>4.4 Packing group:</li> <li>4.5 Environmental hazards:</li> <li>4.6 Special precautions for user Physico-Chemical properties:</li> <li>4.7 Transport in bulk according to Annex II of Marpol and</li> </ul>

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:
 Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
 Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
 Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
 Article 95, REGULATION (EU) No 528/2012: Chloramine T (Product-type 2, 3, 4, 5)
 REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable



## SECTION 15: REGULATORY INFORMATION (continued)

### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

### Other information:

Contains Chloramine T. May produce an allergic reaction. The product is a medical device according to the Directive 93/42/EEC.

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

#### **Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:** CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

· Supplementary information

#### Texts of the legislative phrases mentioned in section 2:

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects

Eye Dam. 1: H318 - Causes serious eye damage

Met. Corr. 1: H290 - May be corrosive to metals

Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

### Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

## Abbreviations and acronyms:



## SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LO30: Cotanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.