

6944

75 liter Total opening drum with handles



Product part	Product code	Materials
Drum	6944	HDPE
Handle	6800	HDPE
Lid	6970	HDPE
Gasket	H14	EPDM

Capacity	Liters	US Gallons
Brimful	79.5	21.00
When closed	75	19.81

Hazardous material information	
Hazardous material type	Solids
Packaging group	I – II – III
UN marking	UN/1H2/X95/S/--/NL/CURTEC 2418
Maximum gross mass (kg)	X=95

Weight	Grams	Ounces
Drum	2975	104.94
Handles	90	3.18
Lid	675	23.81
Gasket	37	1.31
Total	3777	133.24

Weight tolerance

All products have a tolerance of $\pm 4\%$ of the initial weight mentioned on this data sheet

Dimensional tolerances	%
Height	± 2.5
Diameter	± 1.5

Wall thickness	mm
Minimal wall thickness	≥ 2.5
Nominal wall thickness	≥ 2.7

Colors	Color code	PMS references
Drum*	Brown 705	174 C
Lid*	Beige 750	482 C
Handle	Black 101	/

* Other colors available on request

Product identification	Drum	Lid
Manufacturer ID	Bottom	--
Product code	Bottom	--
Recycle logo / Material type	Bottom	Inside
Date clock	Bottom	Inside
UN-mark	Side wall	--
Food logo	Bottom	--
Material track clock	Bottom	--
CFR49-mark	Bottom	--


Other information

Maximum filling temperature is 70°C/ 158°F
 Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked
 DoC available on request
 UN certificate available on request
 MVTR declaration available on request
 Watertightness declaration available on request
 User manual available on request
 All drums can be made tamper evident with application of compact seal # 7800

DISCLAIMER

CurTec manufactures packaging material for a wide range of purposes. This declaration is restricted to the packaging material as it leaves the production facility. CurTec has neither control over final end use of the product nor over processing conditions. It is therefore the responsibility of the end user to check compliance with the relevant regulations and to validate material performance in the end application through proper end use testing.

© 2020 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.



Title 6944 Total opening drum 75 liter

Revision

0

Rev. Date

12-12-2019

Units

mm



This document is property of CurTec Nederland B.V.
and may not be copied or communicated without written consent.
All Rights Reserved

