

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	· · · · · · · · · · · · · · · · · · ·
1.1. Product identifier Trade name or designation of the mixture	Urethane Isolation
Registration number	-
UFI:	RK8X-G8GG-Q00N-QKND
Synonyms	None.
Product code	BDS001539AE
Issue date	29-March-2022
Version number	1.0
Revision date	29-March-2022
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Anti Corrosion Products
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company name	CRC Industries Europe bv
Address	Touwslagerstraat 1
	9240 Zele
	Belgium
Telephone	+32(0)52/45.60.11
Fax	+32(0)52/45.00.34
E-mail	hse@crcind.com
Website	www.crcind.com
1.4. Emergency telephone	Tel.: +32(0)52/45.60.11 (office hours: 9-17h CET)

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Aerosols	Category 1	H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated.
Health hazards		
Specific target organ toxicity - single exposure	Category 3 narcotic effects	H336 - May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Category 2 (central nervous system)	H373 - May cause damage to organs (central nervous system) through prolonged or repeated exposure.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane, Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic, Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Hazard pictograms



Signal word	Danger
Hazard statements	
H222 H229 H315 H336 H373 H412	Extremely flammable aerosol. Pressurized container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs (central nervous system) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P102 P210 P211 P251 P260 P280	Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe mist/vapours. Wear protective gloves.
Response	
P314	Get medical advice/attention if you feel unwell.
Storage	
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Mixture

General information Chemical name

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	25 - 50	EC919-857-5 919-857-5	01-2119463258-33	-	
Classification:	Flam. Liq.	3;H226, STOT SE 3;	H336, Asp. Tox. 1;H304		
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5% n-hexane	5 - 10	EC921-024-6 921-024-6	01-2119475514-35	-	
Classification:		2;H225, Skin Irrit. 2;F quatic Chronic 2;H41	H315, STOT SE 3;H336, Asp 1	. Tox.	
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic	1 - 5	64742-82-1 919-446-0	01-2119458049-33	-	
Classification:		3;H226, STOT SE 3; quatic Chronic 2;H41	H336, STOT RE 1;H372, Asj 1	o. Tox.	

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	ures
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.

Material name: Urethane Isolation - Manufacturers

BDS001539AE Version #: 1.0 Revision date: 29-March-2022 Issue date: 29-March-2022

Ingestion In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth. 4.2. Most important symptoms May cause drowsiness or dizziness. Narcosis. Headache. Nausea, vomiting. Behavioural changes. Decrease in motor functions. Skin irritation. May cause redness and pain. Prolonged exposure and effects, both acute and may cause chronic effects. delayed 4.3. Indication of any Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. immediate medical attention and special treatment needed **SECTION 5: Firefighting measures** General fire hazards Extremely flammable aerosol. 5.1. Extinguishing media Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). media Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media 5.2. Special hazards arising Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed. from the substance or mixture

5.3. Advice for firefighters	
Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special fire fighting procedures	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	······································
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limite	No ovposuro li	mits noted for inc	radiant(a)	
Occupational exposure limits Biological limit values	•	No exposure limits noted for ingredient(s).		
	No biological exposure limits noted for the ingredient(s).			
procedures	Recommended monitoring Follow standard monitoring procedures.			
Derived no effect levels (DNELs)			
General Population				
Components		Value	Assessment factor Notes	
Hydrocarbons, C6-C7, n-alka	nes,isoalkanes,c	yclics,< 5% n-he	ane (CAS EC921-024-6)	
Long-term, Systemic, De Long-term, Systemic, Inh Long-term, Systemic, Ora	alation	699 mg/kg bw/c 608 mg/m3 699 mg/kg bw/c		
Hydrocarbons, C9-C11, n-alk	anes, isoalkanes	, cyclics, < 2% ar	omatics (CAS EC919-857-5)	
Long-term, Systemic, De Long-term, Systemic, Inh Long-term, Systemic, Ora	alation	300 mg/kg 900 mg/m3 300 mg/kg		
<u>Workers</u>				
Components		Value	Assessment factor Notes	
Hydrocarbons, C6-C7, n-alka				
Long-term, Systemic, De Long-term, Systemic, Inh	alation	773 mg/kg bw/c 2035 mg/m3		
Hydrocarbons, C9-C11, n-alk		-	omatics (CAS EC919-857-5)	
Long-term, Systemic, De Short-term, Systemic, Inf		300 mg/kg 1500 mg/m3		
Predicted no effect concentrations (PNECs)	Not available.			
8.2. Exposure controls				
Appropriate engineering controls	applicable, use maintain airbo	e process enclosu rne levels below i	be used. Ventilation rates should be matched to conditions. If ires, local exhaust ventilation, or other engineering controls to ecommended exposure limits. If exposure limits have not been evels to an acceptable level. Provide eyewash station and safety	
Individual protection measures,	such as persor	nal protective eq	uipment	
General information			ent as required. Personal protection equipment should be chosen and in discussion with the supplier of the personal protective	
Eye/face protection	Wear safety gl	asses with side s	hields (or goggles). Use eye protection conforming to EN 166.	
Skin protection				
- Hand protection	time of the glo the breakthrou	ve should be long gh time, gloves s	r chemical-resistant gloves (standard EN 374). The breakthrough er than the total duration of product use. If work lasts longer than hould be changed part-way through. Nitrile gloves are can be recommended by the glove supplier.	
- Other	Wear appropri	ate chemical resi	stant clothing.	
Respiratory protection			, wear suitable respiratory equipment. Chemical respirator with I facepiece. (Filter type AX)	
Thermal hazards	Wear appropri	ate thermal prote	ctive clothing, when necessary.	
Hygiene measures	after handling	the material and	ays observe good personal hygiene measures, such as washing before eating, drinking, and/or smoking. Routinely wash work nt to remove contaminants.	
Environmental exposure controls	from ventilation requirements of	n or work process of environmental	or supervisory personnel of all environmental releases. Emissions equipment should be checked to ensure they comply with the protection legislation. Fume scrubbers, filters or engineering uipment may be necessary to reduce emissions to acceptable	
SECTION 9: Physical and		operties		

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Colour	Colourless to yellow.
Odour	Solvent.

Odour threshold	Not available.
рН	Not applicable.
Melting point/freezing point	-70 °C (-94 °F) estimated
Initial boiling point and boiling range	61 °C (141.8 °F) estimated
Flash point	< 0 °C (< 32.0 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	0.6 % estimated
Flammability limit - upper (%)	7 % estimated
Vapour pressure	3000 hPa estimated
Vapour density	Not available.
Relative density	0.83 g/cm3 at 20°C
Solubility(ies)	
Solubility (water)	Insoluble in water
Auto-ignition temperature	> 200 °C (> 392 °F)
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
Heat of combustion (NFPA 30B)	1.35 kJ/g estimated
VOC	565 g/l
SECTION 10: Stability and	reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid high temperatures.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Carbon oxides.
SECTION 11: Toxicologica	I information

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.			
Information on likely routes of exposure				
Inhalation	May cause drowsiness or dizziness. Headache. Na harmful.	usea, vomiting. Prolonged inhalation may be		
Eye contact	Direct contact with eyes may cause temporary irrita	ation.		
Skin contact	Causes skin irritation.			
Ingestion	May cause discomfort if swallowed. However, inges occupational exposure.	stion is not likely to be a primary route of		
Symptoms	May cause drowsiness or dizziness. Narcosis. Headache. Nausea, vomiting. Behavioural changes. Decrease in motor functions. Skin irritation. May cause redness and pain.			
11.1. Information on toxicolog	ical effects			
Acute toxicity	Based on available data, the classification criteria a	are not met.		
Components	Species	Test Results		
Hydrocarbons, C6-C7, n-alkane	s,isoalkanes,cyclics,< 5% n-hexane			
Acute				
Dermal				
LD50	Rat	2920 mg/kg bw/day, 24 h		

Components	Species		Test Results
Inhalation			
LC50	Rat		25200 mg/m³, 4 h
Oral			
LD50	Rat		5840 mg/kg bw/day
Hydrocarbons, C9-C11, n-alkanes	, isoalkanes, cyclics, <	2% aromatics	
<u>Acute</u>			
Dermal LD50	Rabbit		> 5000 mg/kg
Oral	Nabbit		> 5000 mg/kg
LD50	Rat		> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation		
Serious eye damage/eye	Causes skin irritation. Direct contact with eyes may cause temporary irritation.		
irritation	Dirott contact with by	oo may oddoo tomporary midal	
Respiratory sensitisation	Based on available data, the classification criteria are not met.		
Skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available d	ata, the classification criteria are	e not met.
Reproductive toxicity	Based on available d	ata, the classification criteria are	e not met.
Specific target organ toxicity - single exposure	May cause drowsines	s or dizziness.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (central nervous system) through prolonged or repeated exposure.		
Aspiration hazard	Not likely, due to the	form of the product.	
Mixture versus substance information	Not available.		
SECTION 12: Ecological in	nformation		
12.1. Toxicity	Harmful to aquatic life with long lasting effects.		
Components	Speci	es	Test Results
Hydrocarbons, C6-C7, n-alkanes,i	soalkanes,cyclics,< 5%	n-hexane	
Aquatic			
Acute			
Algae	EC50 Algae		> 30 - < 100 mg/l, 72 h
Crustacea	EC50 Daphi	nia	3 mg/l, 48 h
Fish	LC50 Fish		11.4 mg/l, 96 h
Hydrocarbons, C9-C11, n-alkanes	, isoalkanes, cyclics, <	2% aromatics	
Acute	L 0.50 D		
Other	LC50 Pseud	lokirchnerella subcapitata	> 1000 mg/l, 72 h
Aquatic			
<i>Acute</i> Fish	LC50 Onco	hynchus mykiss	> 1000 mg/l
			·
12.2. Persistence and degradability	INO GALA IS AVAIIADIE C	n the degradability of any ingre	cuents in the mixture.
12.3. Bioaccumulative potential			
Partition coefficient	Not available.		

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

The product contains volatile organic compounds which have a photochemical ozone creation

(EC) No 1907/2006, Annex XIII.

Not available. No data available.

potential. GWP: 1

BDS001539AE Version #: 1.0 Revision date: 29-March-2022 Issue date: 29-March-2022

Bioconcentration factor (BCF)

12.5. Results of PBT and vPvB

12.6. Other adverse effects

12.4. Mobility in soil

assessment

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

SECTION 14: Transport in	formation	
ADR		
14.1. UN number	UN1950	
14.2. UN proper shipping	AEROSOLS, flammable	
name		
14.3. Transport hazard class	s(es)	
Class	2.1	
Subsidiary risk	-	
Label(s)	2.1	
Hazard No. (ADR)	Not available.	
Tunnel restriction code	D	
14.4. Packing group	Not available.	
14.5. Environmental hazards	s No	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
RID		
14.1. UN number	UN1950	
14.2. UN proper shipping	AEROSOLS, flammable	
name		
14.3. Transport hazard class	s(es)	
Class	2.1	
Subsidiary risk	-	
Label(s)	2.1	
14.4. Packing group	Not available.	
14.5. Environmental hazards		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
ADN		
14.1. UN number	UN1950	
14.2. UN proper shipping	AEROSOLS, flammable	
name		
14.3. Transport hazard class		
Class	2.1	
Subsidiary risk	- 2.1	
Label(s) 14.4. Packing group	Z. I Not available.	
14.5. Environmental hazards		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
IATA		
14.1. UN number	UN1950	
14.2. UN proper shipping	Aerosols, flammable	
name		
14.3. Transport hazard class	e(es)	
Class	2.1	
Subsidiary risk	-	
14.4. Packing group	Not available.	
14.5. Environmental hazards	s No	

ERG Code 14.6. Special precautions	10L Read safety instructions, SDS and emergency procedures before handling.
for user Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
14.1. UN number	UN1950
14.2. UN proper shipping	Aerosols, flammable
name	
14.3. Transport hazard class	s(es)
Class	2.1
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	3
Marine pollutant	No
EmS	F-D, S-U
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
ADN; ADR; IATA; IMDG; RID	



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic (CAS 64742-82-1)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

afety No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

	 ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP). CAS: Chemical Abstract Service. Ceiling: Short Term Exposure Limit Ceiling value. CEN: European Committee for Standardization. CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. GWP: Global Warming Potential. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VOC: Volatile organic compounds. vPvB: Very persistent and very bioaccumulative. STEL: Short-term Exposure Limit.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.