Table- & Floor Scraper, 270mm, White





Ideal for removing stubborn food debris from floors and stainless steel surfaces and equipment, this flexible nylon scraper can be used with any Vikan handle.

Technical Data

| Item Number | 29125 |
|---|----------------|
| Blade Thickness | 6.3 mm |
| Material | Polyamide |
| Recycling Symbol "7", Miscellaneous Plastics | Yes |
| Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| FDA compliant raw material (CFR 21) | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| California Proposition 65 Compliant | Yes |
| Use of phthalates and bisphenol A | No |
| Is Halal and Kosher compliant | Yes |
| Box Quantity | 10 Pcs. |
| Quantity per Pallet (80 x 120 x 180-200 cm) | 800 Pcs |
| Quantity Per Layer (Pallet) | 80 Pcs. |
| Length | 33 mm |
| Width | 270 mm |
| Height | 220 mm |
| Net Weight | 0.34 kg |
| Weight cardboard (Recycling symbol "20" PAP) | 0.0295 kg |
| Tare total | 0.0295 kg |
| Gross Weight | 0.37 kg |
| Cubik metre | 0.00196 M3 |
| Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max. cleaning temperature (Dishwasher) | 93 °C |
| Max usage temperature (food contact) | 100 °C |
| Max usage temperature (non food contact) | 180 °C |
| Min. usage temperature ³ | -20 °C |
| Max. drying temperature | 120 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |
| Gtin-13 Number | 5705020029127 |
| GTIN-14 Number (Box quantity) | 15705020029124 |
| Customs Tariff No. | 39241000 |
| Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.