Tube Brush, Ø40 mm, 500 mm, Hard, Yellow





Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyor belts with this handy Tube Brush.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2, GB 90021750755001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length Mith Mith Mith Mith Mith Mith Length Mith Mith Mith Polypropylene Polodyster Stainless Steel (AISI 304) Yes Pcs Holly Regulation 1000 Pcs Registration 1000 Polypropylene Polyester Stainless Steel (AISI 304) Pcs Pcs Regulation 2017/2006 Pcs Product Diameter 40 mm Mith	Item Number	53786
Complies with (EC) 1935/2004 on food contact materials ' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity EV 2018 No. 120 x 180-200 cm) 1260 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Width 40 mm Net Weight 90 Meight cardboard (Recycling symbol "20" PAP) 0.01 kg Gross Weight 0.14 kg Gross Weight 0.14 kg Cubik metre 0.0008 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (mon food contact) 80 °C Min. usage temperature (food contact) 80 °C Min. usage temperature (food contact) 80 °C Min. usage temperature (mon food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705000537868	Visible bristle length	18 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Wes of phthalates and bisphenol A Is Halal and Kosher compliant Pesign Registration No. BU 002175075-1-2, GB 9002175075001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Product Diameter Length Soo mm Width Height Heigh	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Not Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration<	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Wes Of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. BU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) Froduct Diameter Length So0 mm Width Height 40 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubik metre 0.000 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ioshwasher) Max usage temperature (Ioshwasher) Max usage temperature (Ioshwasher) Max usage temperature (Ioshwasher) Max. drying temperature Min. usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number Tess Weight And Done And Park Poss Product Diameter No No Pcs. Product Diameter 40 mm 40 mm 40 mm And mm Net Weight And mm Net		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Pesign Registration No. BU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 40 mm Net Weight Cubik metre 0.000 k M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (food contact) Max. drying temperature Max. drying temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number S0217505020537868	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 0.01 kg Gross Weight 0.01 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020537868	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020537868	Use of phthalates and bisphenol A	No
Box Quantity 15 Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 1260 Pcs Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Design Registration No.	,
Quantity Per Layer (Pallet) 60 Pcs. Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Box Quantity	15 Pcs.
Product Diameter 40 mm Length 500 mm Width 40 mm Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Quantity per Pallet (80 x 120 x 180-200 cm)	1260 Pcs
Length500 mmWidth40 mmHeight40 mmNet Weight0.09 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.01 kgGross Weight0.1 kgCubik metre0.0008 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Quantity Per Layer (Pallet)	60 Pcs.
Width 40 mm Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Product Diameter	40 mm
Height 40 mm Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Length	500 mm
Net Weight 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Width	40 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.01 kg Gross Weight Cubik metre O.0008 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration Totologo537868	Height	40 mm
Tare total 0.01 kg Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Net Weight	0.09 kg
Gross Weight 0.1 kg Cubik metre 0.0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Weight cardboard (Recycling symbol "20" PAP)	0.01 kg
Cubik metre0.0008 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Tare total	0.01 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Gross Weight	0.1 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Cubik metre	0.0008 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020537868	Max usage temperature (non food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020537868	Max. drying temperature	100 °C
Gtin-13 Number 5705020537868	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020537865	Gtin-13 Number	5705020537868
	GTIN-14 Number (Box quantity)	15705020537865

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact