


56895

# Lid f/Bucket 5688, 6 Litre, White



Lid for Vikan Hygiene Bucket 5688x. The lid prevents foreign objects from falling into the bucket when used for storage. The rim in the middle of the lid makes buckets stackable.

# Technical Data

Item Number	56895
Material	Polypropylene
Recycling Symbol "5", Polypropylene (PP)	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	920 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	290 mm
Box Width	270 mm
Box Height	75 mm
Length	295 mm
Width	250 mm
Height	20 mm
Net Weight	0.12 kg
Weight cardboard (Recycling symbol "20" PAP)	0.04 kg
Tare total	0.04 kg
Gross Weight	0.16 kg
Cubic metre	0.001475 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020568954

<b>GTIN-14 Number (Box quantity)</b>	15705020568951
<b>Customs Tariff No.</b>	39241000
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.