

40516

# Hand Scraper, flexible, 165 mm, Yellow



With a three-sided scraping edge, this flexible Hand Scraper is perfect for cleaning workbenches and conveyor belts, as well as emptying containers and buckets.

# Technical Data

Item Number	40516
Material	Polypropylene
Recycling Symbol "5", Polypropylene (PP)	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	14000 Pcs
Quantity Per Layer (Pallet)	1 Pcs.
Box Length	180 mm
Box Width	110 mm
Box Height	70 mm
Length	165 mm
Width	2 mm
Height	92 mm
Net Weight	0.02 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0028 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0072 kg
Tare total	0.01 kg
Gross Weight	0.03 kg
Cubic metre	3E-05 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020405167

<b>GTIN-14 Number (Box quantity)</b>	15705020405164
<b>Customs Tariff No.</b>	39241000
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.