## Lid f/Bucket 5686, 12 Litre, Yellow







Lid for Vikan Hygiene Bucket 5686x. The bucket lid is useful for preventing spillage and uses a clip system to lightly secure the lid.

## **Technical Data**

Material         Polypropylene           Recycling Symbol "5", Polypropylene (PP)         Yes           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation I CFR 21¹         Yes           Complies with FDA Regulation (EC) No. 1907/2006         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 000427117-01-03           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         612 Pcs           Quantity Per Layer (Pallet)         36 Pcs.           Box Length         350 mm           Box Width         325 mm           Box Width         310 mm           Width         310 mm           Width         310 mm           No         40 mm           No <th>Item Number</th> <th>56876</th>	Item Number	56876
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with California Proposition 65  Yes  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity  6 Pcs.  Quantity Per Pallet (80 x 120 x 180-200 cm)  612 Pcs  Box Length  350 mm  Box Width  325 mm  Box Width  145 mm  Length  40 mm  Net Weight  40 mm  Net Weight  40 mm  Net Weight  Cubic metre  0.004526 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (Info od contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 612 Pcs Box Length 350 mm Box Width 325 mm Box Width 325 mm Width 145 mm Length 40 mm Weight 40 mm Wet Weight 40 mm Net Weight 40 0.048 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.1 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Ioshwasher) 93 °C Max usage temperature (Ioshwasher) 100 °C Max usage temperature (Ioshwasher) 100 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Max. pH-value in usage concentration 10.5 pH Max. pH-value in usage concentration 10.5 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation (CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Pes Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-01-3, GB9004271170001-003 Box Quantity Fer Layer (Pallet) Fer	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 612 Pcs Quantity Per Layer (Pallet) 6 Pcs. Box Length 6 Pcs. Box Length 7 Somm 8 Dox Width 7 Somm 8 Dox Width 8 Somm 8 Dox Height 8 Somm 8 Width 8 Somm 9 Width 8 Somm 9 Width 9 Somm 9		Yes
Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity  6 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  612 Pcs  Quantity Per Layer (Pallet)  36 Pcs.  Box Length  350 mm  Box Width  325 mm  Box Height  145 mm  Length  365 mm  Width  130 mm  Height  40 mm  Net Weight  40 mm  Net Weight  Cubic metre  0.048 kg  Weight cardboard (Recycling symbol "20" PAP)  7.05 kg  Gross Weight  1.01 kg  Cubic metre  0.004526 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (non food contact)  100 °C  Max. usage temperature  Max. drying temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Design Registration No.  EU 000427117-01-3, GB9004271170001-003  Box Quantity 6 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm) 612 Pcs  Quantity Per Layer (Pallet) 36 Pcs.  Box Length 350 mm  Box Width 325 mm  Box Height 145 mm  Length 365 mm  Width 310 mm  Height 40 mm  Net Weight 40 mm  Net Weight 0.048 kg  Weight cardboard (Recycling symbol "20" PAP) 1.05 kg  Gross Weight Cubic metre 0.004526 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max. usage temperature 100 °C  Max. drying temperature 110 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No.  EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 612 Pcs Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length 365 mm Width 310 mm Height 40 mm Net Weight 40 mm Net	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         612 Pcs           Quantity Per Layer (Pallet)         36 Pcs.           Box Length         350 mm           Box Width         325 mm           Box Height         145 mm           Length         365 mm           Width         310 mm           Height         40 mm           Net Weight         0.048 kg           Weight cardboard (Recycling symbol "20" PAP)         0.05 kg           Tare total         0.05 kg           Gross Weight         0.1 kg           Cubic metre         0.004526 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	Complies with California Proposition 65	Yes
Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 612 Pcs Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length 365 mm Width 310 mm Height 40 mm Net Weight 40.048 kg Weight cardboard (Recycling symbol "20" PAP) 70.05 kg Tare total 70.05 kg Gross Weight 70.10 kg Cubic metre 70.004526 M3  Recommended sterilisation temperature (Autoclave) 70.05 kg Recommended sterilisation temperature (Autoclave) 70.06 Max usage temperature (Dishwasher) 70.07 Max usage temperature (non food contact) 70.08 Min. usage temperature 70.07 CMax. drying temperature 70.07 CMax. ph-value in usage concentration 70.05 pH Max. ph-value in usage Concentration 70.05 pH	Complies with Halal and Kosher	Yes
Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         612 Pcs           Quantity Per Layer (Pallet)         36 Pcs.           Box Length         350 mm           Box Width         325 mm           Box Height         145 mm           Length         365 mm           Width         310 mm           Height         40 mm           Net Weight         0.048 kg           Weight cardboard (Recycling symbol "20" PAP)         0.05 kg           Tare total         0.05 kg           Gross Weight         0.1 kg           Cubic metre         0.004526 M³           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)612 PcsQuantity Per Layer (Pallet)36 Pcs.Box Length350 mmBox Width325 mmBox Height145 mmLength365 mmWidth310 mmHeight40 mmNet Weight0.048 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.1 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)         36 Pcs.           Box Length         350 mm           Box Width         325 mm           Box Height         145 mm           Length         365 mm           Width         310 mm           Height         40 mm           Net Weight         0.048 kg           Weight cardboard (Recycling symbol "20" PAP)         0.05 kg           Tare total         0.05 kg           Gross Weight         0.1 kg           Cubic metre         0.004526 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	Box Quantity	6 Pcs.
Box Length         350 mm           Box Width         325 mm           Box Height         145 mm           Length         365 mm           Width         310 mm           Height         40 mm           Net Weight         0.048 kg           Weight cardboard (Recycling symbol "20" PAP)         0.05 kg           Tare total         0.05 kg           Gross Weight         0.1 kg           Cubic metre         0.004526 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	612 Pcs
Box Width         325 mm           Box Height         145 mm           Length         365 mm           Width         310 mm           Height         40 mm           Net Weight         0.048 kg           Weight cardboard (Recycling symbol "20" PAP)         0.05 kg           Tare total         0.05 kg           Gross Weight         0.1 kg           Cubic metre         0.004526 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	Quantity Per Layer (Pallet)	36 Pcs.
Box Height 145 mm Length 365 mm Width 310 mm Height 40 mm Net Weight 0.048 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.1 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Length	350 mm
Length365 mmWidth310 mmHeight40 mmNet Weight0.048 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.1 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Width	325 mm
Width310 mmHeight40 mmNet Weight0.048 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.1 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Height	145 mm
Height40 mmNet Weight0.048 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.1 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Length	365 mm
Net Weight 0.048 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.1 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ( Min. usage temperature) 20 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Width	310 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  O.05 kg  Gross Weight  Cubic metre  O.004526 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH	Height	40 mm
Tare total 0.05 kg Gross Weight 0.1 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Net Weight	0.048 kg
Gross Weight 0.1 kg  Cubic metre 0.004526 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.05 kg
Cubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Tare total	0.05 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	0.1 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.004526 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
<b>Gtin-13 Number</b> 5705020568763	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020568763

GTIN-14 Number (Box quantity)	15/05020568/60
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.