## Meat Mincer Brush, 130 mm, Medium, White





Designed for cleaning tanks and containers, this Meat Mincer brush can also clean feeder pipes and tubes in food production equipment. Can be used with any Vikan handle.

## **Technical Data**

Material Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes Compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity Resulting Practice  BOX Quantity Per Pallet (80 x 120 x 200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Product Diameter 135 mm 130 mm Width 130 mm Width 130 mm Note Weight Day (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.0232 kg Gross Weight 0.36 kg Cubik metre 0.00144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 100 °C Max usage temperature (mon food contact) 100 °C Max usage temperature (mon food contact) 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020070358 GTIN-14 Number (Box quantity) 15705020070358	Item Number	70355
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Product Diameter Length 130 mm Width 130 mm Width 130 mm Width 131 mm Net Weight Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Gross Weight Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 10. 5 pH Gtin-13 Number GTIN-14 Number (Box quantity) 15705020070358 GTIN-14 Number (Box quantity) 15705020070358	Visible bristle length	33 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  Box Quantity  Repoduct Diameter  Length  Width  Height  Not Weight  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  Cuber total  Gross Weight  Cubik metre  0.001944  Max usage temperature (food contact)  Max usage temperature (non food contact)  Max pH-value in usage Concentration  Max. pH-value in Usage Concentration  Max pH-value in Usage Concentration  Medits Height Ves Max vand of the contact of the	Material	Polyester Stainless Steel (AISI
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         8 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         384 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Gross Weight         0.036 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in Usage Concentration         10.5 pH           Max. pH-value in Usage Concentration         10.5 pH	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         8 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         384 Pcs.           Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Tare total         0.0295 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature and contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006       Yes         Use of phthalates and bisphenol A       No         Is Halal and Kosher compliant       Yes         Box Quantity       8 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       384 Pcs.         Quantity Per Layer (Pallet)       48 Pcs.         Product Diameter       135 mm         Length       130 mm         Width       130 mm         Height       115 mm         Net Weight       0.33 kg         Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.0063 kg         Weight cardboard       0.0232 kg         Gross Weight       0.36 kg         Cubik metre       0.001944 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max usage temperature (food contact)       80 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       100 °C         Min. pH-value in usage concentration       2 pH         Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number       5705020070358         GTIN-14 Number (Box quantity)       15705020070358	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         8 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         384 Pcs.           Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight         0.33 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Tare total         0.0295 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Min. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020070358           GTIN-14 Number (Box quantity)         15705020070358	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant   Yes     Box Quantity   8   Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   384   Pcs.     Quantity Per Layer (Pallet)   48   Pcs.     Product Diameter   135   mm     Length   130   mm     Width   130   mm     Height   115   mm     Net Weight   0.33   kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene   0.0063   kg     (LDPE)   Weight   0.323   kg     Tare total   0.0232   kg     Gross Weight   0.36   kg     Cubik metre   0.001944   M3     Recommended sterilisation temperature (Autoclave)   121   °C     Max usage temperature (food contact)   80   °C     Max usage temperature (non food contact)   100   °C     Min. usage temperature   100   °C     Min. usage temperature   100   °C     Min. pH-value in usage concentration   2   pH     Max. pH-value in Usage Concentration   10.5   pH     Gtin-13 Number   5705020070358     GTIN-14 Number (Box quantity)   15705020070358	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         8 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         384 Pcs.           Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight         0.33 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020070358           GTIN-14 Number (Box quantity)         15705020070358	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)         384 Pcs.           Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Tare total         0.0295 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020070358           GTIN-14 Number (Box quantity)         15705020070358	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         48 Pcs.           Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Tare total         0.0295 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020070358           GTIN-14 Number (Box quantity)         15705020070358	Box Quantity	8 Pcs.
Product Diameter         135 mm           Length         130 mm           Width         130 mm           Height         115 mm           Net Weight         0.33 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0232 kg           Tare total         0.0295 kg           Gross Weight         0.36 kg           Cubik metre         0.001944 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020070358           GTIN-14 Number (Box quantity)         15705020070358	Quantity per Pallet (80 x 120 x 200 cm)	384 Pcs
Length130 mmWidth130 mmHeight115 mmNet Weight0.33 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard0.0232 kgTare total0.0295 kgGross Weight0.36 kgCubik metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020070358GTIN-14 Number (Box quantity)15705020070358	Quantity Per Layer (Pallet)	48 Pcs.
Width 130 mm Height 115 mm Net Weight 0.33 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0232 kg Tare total 0.0295 kg Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 5705020070358 GTIN-14 Number (Box quantity) 15705020070358	Product Diameter	135 mm
Height115 mmNet Weight0.33 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard0.0232 kgTare total0.0295 kgGross Weight0.36 kgCubik metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020070358GTIN-14 Number (Box quantity)15705020070355	Length	130 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.0232 kg Tare total 0.0295 kg Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (non food contact) 10.5 pH Gtin-13 Number 5705020070355	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.0232 kg Tare total 0.0295 kg Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (nusage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020070355	Height	115 mm
Weight cardboard 0.0232 kg Tare total 0.0295 kg Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020070358	Net Weight	0.33 kg
Tare total 0.0295 kg Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020070358	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0063 kg
Gross Weight 0.36 kg Cubik metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020070358 GTIN-14 Number (Box quantity) 15705020070355	Weight cardboard	0.0232 kg
Cubik metre0.001944M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020070358GTIN-14 Number (Box quantity)15705020070355	Tare total	0.0295 kg
Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020070358  GTIN-14 Number (Box quantity)	Gross Weight	0.36 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020070358GTIN-14 Number (Box quantity)15705020070355	Cubik metre	0.001944 M3
Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020070358  GTIN-14 Number (Box quantity)	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Ctin-13 Number  Max. pH-value in Usage Concentration  5705020070358  CTIN-14 Number (Box quantity)	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020070358  GTIN-14 Number (Box quantity) 15705020070355	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020070358  GTIN-14 Number (Box quantity) 15705020070355	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020070358           GTIN-14 Number (Box quantity)         15705020070355	Max. drying temperature	100 °C
Gtin-13 Number       5705020070358         GTIN-14 Number (Box quantity)       15705020070355	Min. pH-value in usage concentration	2 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020070355	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020070358
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020070355
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.