## Table & Floor Scraper, 260mm, Red





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

## **Technical Data**

Material  Polypropylene Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Pess Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  No is Halal and Kosher compliant  Pess Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Regulation (Pess Layer (Pallet)  Regulation (Pess Length  Net Weight  Prosecuted (Recycling symbol "20" PAP)  Cubik metre	Item Number	29104
Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Meets the REACH Regulation (EC) No. 1907/2006  Yes  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  260 mm  Width  Height  155 mm  Net Weight cardboard (Recycling symbol "20" PAP)  Cubik metre  Cubik metre  0.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Min. usage temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage Concentration  10.5 pH  GTIN-14 Number (Box quantity)  15705020291040  GTIN-14 Number (Box quantity)  15705020291040	Blade Thickness	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  BOX Quantity  Cuantity Per Pallet (80 x 120 x 180-200 cm)  Cuantity Per Layer (Pallet)  Length  Width  Calon multipher  Height  Height  155 mm  Net Weight  Cubik metre	Material	Stainless Steel (AISI
Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Ves Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Res Box Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity per Pallet (80 x 120 x 180-200 cm)  Residuntity Per Layer (Pallet)  Residuntity Per Layer (Pal	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roughty Per Layer (Pallet) Roughty Rou	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Rength Width 260 mm Height Height 155 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubik metre  0.00129 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Quantity Max. pH-value in Usage Concentration CTIN-14 Number (Box quantity)  No. 1907 No. 190	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Use of phthalates and bisphenol A INO Is Halal and Kosher compliant IS BOX Quantity IS Halal and Kosher compliant IS Halal and K	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Is Halal and Kosher compliant Is Halal and Kosher compliant Is Box Quantity It Per Some Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Is Quantity Per Layer (Pallet) Is Roy Pessength Is Reight It Some Met Weight It Some Met Weight It Cardboard (Recycling symbol "20" PAP) It Reight It Cubik metre It Some Recommended sterilisation temperature (Autoclave) It Some Recommended Sterilisation temperature (Autoclav	Meets the REACH Regulation (EC) No. 1907/2006	Yes
S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   800   Pcs.     Quantity Per Layer (Pallet)   80   Pcs.     Quantity Per Layer (Pallet)   80   Pcs.     Length   32   mm     Width   260   mm     Height   155   mm     Net Weight   0.26   kg     Weight cardboard (Recycling symbol "20" PAP)   0.02   kg     Gross Weight   0.28   kg     Gross Weight   0.28   kg     Cubik metre   0.00129   M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (food contact)   170 °C     Max usage temperature (non food contact)   170 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Max. drying temperature   120 °C     Max. pH-value in usage concentration   2   pH     Max. pH-value in Usage Concentration   10.5   pH     Gtin-13 Number   5705020291043     GTIN-14 Number (Box quantity)   15705020291040	California Proposition 65 Compliant	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291043           GTIN-14 Number (Box quantity)         15705020291040	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs           Quantity Per Layer (Pallet)         80 Pcs           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020291043           Gtin-13 Number         5705020291040	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Min. usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291043           GTIN-14 Number (Box quantity)         15705020291040	Box Quantity	10 Pcs.
Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291043           GTIN-14 Number (Box quantity)         15705020291040	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291043 GTIN-14 Number (Box quantity) 15705020291040	Quantity Per Layer (Pallet)	80 Pcs.
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (non food contact) 2 pH Max. pH-value in usage Concentration 5705020291043 GTIN-14 Number (Box quantity) 15705020291040	Length	32 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291040	Width	260 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  O.02 kg  Gross Weight  Cubik metre  O.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705020291043  GTIN-14 Number (Box quantity)	Height	155 mm
Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291040	Net Weight	0.26 kg
Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291043 GTIN-14 Number (Box quantity) 15705020291040	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubik metre 0.00129 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max usage temperature (food contact) 170 °C  Max usage temperature (non food contact) 170 °C  Min. usage temperature³ -20 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020291043  GTIN-14 Number (Box quantity) 15705020291040	Tare total	0.02 kg
Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705020291043  GTIN-14 Number (Box quantity)	Gross Weight	0.28 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291043GTIN-14 Number (Box quantity)15705020291040	Cubik metre	0.00129 M3
Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Ctin-13 Number  Max. pH-value (Box quantity)  170 °C  120 °C  1	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Ctin-13 Number  GTIN-14 Number (Box quantity)  -20 °C  120 °C	Max usage temperature (food contact)	170 °C
Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Gtin-13 Number  GTIN-14 Number (Box quantity)  120 °C  12	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020291043  GTIN-14 Number (Box quantity) 15705020291040	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number       5705020291043         GTIN-14 Number (Box quantity)       15705020291040	Max. drying temperature	120 °C
Gtin-13 Number       5705020291043         GTIN-14 Number (Box quantity)       15705020291040	Min. pH-value in usage concentration	2 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020291040	Max. pH-value in Usage Concentration	10.5 pH
· · · · · · · · · · · · · · · · · · ·	Gtin-13 Number	5705020291043
Customs Tariff No. 82159910	GTIN-14 Number (Box quantity)	15705020291040
	Customs Tariff No.	82159910
Country of origin Denmark	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.