## Bucket, 6 Litre, Yellow







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

## **Technical Data**

Material Polypropylene Stainless Steel (AISI 304)  Recycling Symbol "5", Polypropylene (PP)  Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation ICFR 21¹  Complies with WK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 002364190-1-8, Cf 9002364190-01-8  BOX Quantity  Countity Per Layer (Pallet)  C	Item Number	56886
Steel (AlSI 304)  Recycling Symbol "5", Polypropylene (PP)  Complies with (EC) 1935/2004 on food contact materials¹  Ye  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation 1CFR 21¹  Ye  Complies with FDA Regulation (EC) No. 1907/2006  Ye  Complies with REACH Regulation (EC) No. 1907/2006  Ye  Complies with REACH Regulation (EC) No. 1907/2006  Ye  Complies with Reach Regulation (EC) No. 1907/2006  Ye  Complies with Railal and Kosher  Ye  PFAS, Phthalates and BPA intentionally added  No  Design Registration No.  EU 002364190-1-8, GE  90023641900001-8  BOX Quantity  Sox Quantity  100  Quantity Per Layer (Pallet)  300 X Height  300 X Height  400 Pct  300 X Height  400 Pct  300 X Height  400 Pct  400 Pct	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials¹  Yech Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹  Yech Complies with UK 2019 No. 704 on food contact materials  Yech Complies with REACH Regulation (EC) No. 1907/2006  Yech Complies with California Proposition 65  Yech Complies with California Proposition 65  Yech Complies with Halal and Kosher  Yech PFAS, Phthalates and BPA intentionally added  Notesign Registration No.  EU 002364190-1-8, George Complies With Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Notesign Registration No.  EU 002364190-1-8, George Complies With Per Layer (Pallet)  Quantity per Pallet (80 x 120 x 180-200 cm)  Constitution of Policy Complies With Per Layer (Pallet)  Sox Length  Sox Width  275 mm  Sox Width  275 mm  Note Weight  Note Weight	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GE 9002364190-1-8, GE 90023641900001-8  BOX Quantity Countity per Pallet (80 x 120 x 180-200 cm) Countity Per Layer (Pallet) Countity Per	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, Gf 9002364190001-8 Countity Countity Countity Per Pallet (80 x 120 x 180-200 cm) Countity Per Layer (Pallet) Countity Per Lay	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yeccomplies with REACH Regulation (EC) No. 1907/2006  Yeccomplies with California Proposition 65  Yeccomplies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Nesign Registration No.  BU 002364190-1-8, GI 90023641900001-8  Box Quantity  Sox Quantity  Cauntity per Pallet (80 x 120 x 180-200 cm)  Cauntity Per Layer (Pallet)  Sox Length  Sox Height  Sox Height  Length  Sox Height  Length  Width  1275 mm  Sox Height  Length  Neight cardboard (Recycling symbol "20" PAP)  Care total  Cares Weight  Cubic metre  Cub	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190001-8 Box Quantity For Pallet (80 x 120 x 180-200 cm) Pauantity per Pallet (80 x 120 x 180-200 cm) Pauantity Per Layer (Pallet) Pasox Length Pasox Width Pasox Height Pasox Height Per Paso	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 002364190.001-8  BOX Quantity  5 Pci Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  BOX Length  BOX Length  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No.  Registration No.  EU 0023641900001-8  FOR Quantity Per Layer (Pallet)  40 Pci Res Length  295 mm  BOX Width  275 mm  BOX Width  270 mm  Height  1055 km  Net Weight  Net Weight  No.55 km  Neight cardboard (Recycling symbol "20" PAP)  Compliance total  Compliance total  Compliance Recommended sterilisation temperature (Autoclave)  Max. Cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. usage temperature	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 002364190.001-8  Box Quantity  For Pallet (80 x 120 x 180-200 cm)  Quantity Per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Cost Height  Length  Net Weight  Net Weight  Cubic metre  Cubic metre  Contact Agricultus (Pallet)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Max. drying temperature  120 of Max. drying temperature  Max. drying temperature  120 of Max. drying temperature  Max. drying temperature  120 of Max. drying temperature	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added  Pesign Registration No.  EU 002364190001-8  Box Quantity  Euantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Ength  Engt	Complies with California Proposition 65	Yes
Design Registration No.  EU 0023641900-1-8, GF 90023641900001-8  Box Quantity  Cuantity per Pallet (80 x 120 x 180-200 cm)  Cuantity Per Layer (Pallet)  Box Length  Box Width  Cox Height  Length  Nidth  Cox Height  Net Weight  Cox Height  Cox Hei	Complies with Halal and Kosher	Yes
Box Quantity 5 Pc: Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pc Quantity Per Layer (Pallet) 40 Pcs Box Length 295 mr Box Width 275 mr Box Height 430 mr Length 260 mr Nidth 270 mr Height 258 mr Net Weight Cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.55 k  Cubic metre 0.018112 M Recommended sterilisation temperature (Autoclave) 121 ° Max. cleaning temperature (Dishwasher) 93 ° Max usage temperature (food contact) 100 ° Min. usage temperature 3 -20 ° Max. drying temperature 40 Pcs  160 Pcs  16	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  30 x Length  30 x Width  30 x Height  430 mm  40 per  430 mm  40 per  430 mm  430 mm  430 mm  440 per  440 per  430 mm  440 per  430 per  430 per  440	Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Quantity Per Layer (Pallet)  Box Length  Box Width  275 mr  Box Height  Length  Cength  Cength	Box Quantity	5 Pcs.
Box Length  Box Width  Construction  Box Height  Construction  Construct	Quantity per Pallet (80 x 120 x 180-200 cm)	160 Pcs
Box Width 275 mm Box Height 430 mm Length 260 mm Width 270 mm Weight 258 mm Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fare total 0.06 k Gross Weight 0.61 k Cubic metre 0.018112 M Recommended sterilisation temperature (Autoclave) 121 % Max. cleaning temperature (Dishwasher) 93 % Max usage temperature (food contact) 100 % Max usage temperature (non food contact) 100 % Min. usage temperature 3 -20 % Max. drying temperature 120 %	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 430 mm Length 260 mm Width 270 mm Height 258 mm Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.06 k Cubic metre 0.018112 M Recommended sterilisation temperature (Autoclave) 121 ° Max. cleaning temperature (Dishwasher) 93 ° Max usage temperature (non food contact) 100 ° Min. usage temperature 3 -20 ° Max. drying temperature 120 ° Max. drying temp	Box Length	295 mm
All Length  Nidth  260 mr  Nidth  270 mr  Height  258 mr  Net Weight  0.55 k  Neight cardboard (Recycling symbol "20" PAP)  0.06 k  Gross Weight  0.61 k  Cubic metre  0.018112 M  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °  Max. drying temperature	Box Width	275 mm
Nidth 270 mm Height 258 mm Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.61 k Cubic metre 0.018112 M Recommended sterilisation temperature (Autoclave) 121 °c Max. cleaning temperature (Dishwasher) 93 °c Max usage temperature (food contact) 100 °c Min. usage temperature 3 -20 °c Max. drying temperature 120 °c Max. drying temperature	Box Height	430 mm
Net Weight  Net Weight  Neight cardboard (Recycling symbol "20" PAP)  Fare total  Cubic metre  C	Length	260 mm
Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fare total 0.06 k Gross Weight 0.61 k Cubic metre 0.018112 M Recommended sterilisation temperature (Autoclave) 121 °c Max. cleaning temperature (Dishwasher) 93 °c Max usage temperature (food contact) 100 °c Max usage temperature (non food contact) 100 °c Min. usage temperature 3 -20 °c Max. drying temperature 120 °c Max. drying temperature	Width	270 mm
Weight cardboard (Recycling symbol "20" PAP)0.06 kFare total0.06 kGross Weight0.61 kCubic metre0.018112 MRecommended sterilisation temperature (Autoclave)121 °cMax. cleaning temperature (Dishwasher)93 °cMax usage temperature (food contact)100 °cMax usage temperature (non food contact)100 °cMin. usage temperature³-20 °cMax. drying temperature120 °c	Height	258 mm
Gross Weight  Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature	Net Weight	0.55 kg
Gross Weight  Cubic metre  Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °	Cubic metre	0.018112 M3
Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  -20 °  Max. drying temperature	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature  -20 °  Max. drying temperature  120 °	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °  Max. drying temperature  120 °	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration 2 n	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5 p	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	39239000
GTIN-14 Number (Box quantity)	15705020568869
Gtin-13 Number	5705020568862

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.