Mixer w/Holes, Ø31 mm, 1200 mm, White







This fully-moulded Mixer features a long handle and a small blade with holes. Suitable for stirring food ingredients in large pots and vats, the holes ease stirring by allowing ingredients to pass through the stirrer blade.

Technical Data

Material Polypropylene (PP) Yes Compiles with (EC) 1935/2004 on food contact materials¹ Yes Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Compiles with FDA Regulation I CFR 21¹ Yes Compiles with FDA Regulation (EC) No. 1907/2006 Yes Compiles with REACH Regulation (EC) No. 1907/2006 Yes Compiles with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Legish 37 mm Box Legish 37 mm Box Legish 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Leight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg	Item Number	70125
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Not Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.0209 kg LOPE) 0.0418 kg Gross Weight 0.95 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C <	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Death of Complies with Halal and Kosher Yes Complies with Later Yes Complie	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 1 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) <	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usag	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1 200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (inon food contact) 100 °C Min.	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1 2000 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Joshwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (in food contact) 100 °C Min. pH-value in usage concentrat	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Complies with California Proposition 65	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	1 Pcs.
Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs
Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 37 mm Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Box Length	1200 mm
Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	163 mm
Length1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	37 mm
Width163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Diameter	31 mm
Height37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length	1200 mm
Net Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Width	163 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Height	37 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Net Weight	0.89 kg
Tare total0.0627 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH		0.0209 kg
Gross Weight Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0418 kg
Cubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Tare total	0.0627 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.007237 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705020701252
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below $0\,^{\circ}$ Celsius.