Hand Scoop, 390 mm, , Blue





Lightweight and durable, this Hand Scoop features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

Content 2 Littre Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs Length 390 mm Width 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.08 kg Gross Weight 0.08 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Max usage temperature (food contact) 100 °C Max. drying	Item Number	56703
Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (mor food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10	Content	2 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Net Weight 130 mm Net Weight (acradboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH	Material	Polypropylene
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Poss Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width 130 mm Width Height 130 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No.	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 10 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Numbe	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 <tr< th=""><th></th><th>Yes</th></tr<>		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin.13 Number 5705020567032 GTIN.14 Number (Box quantity) 15705020567032 Customs Tariff No. 39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567032 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567032 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 40 Pcs. Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Box Quantity	10 Pcs.
Length 390 mm Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Width 130 mm Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	40 Pcs.
Height 130 mm Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Length	390 mm
Net Weight 0.24 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Width	130 mm
Weight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.3 kgCubik metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Height	130 mm
Tare total 0.06 kg Gross Weight 0.3 kg Cubik metre 0.006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Net Weight	0.24 kg
Gross Weight0.3 kgCubik metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubik metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Gross Weight	0.3 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Cubik metre	0.006591 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567032GTIN-14 Number (Box quantity)15705020567039Customs Tariff No.39241000	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Max. drying temperature	120 °C
Gtin-13 Number 5705020567032 GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020567039 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705020567032
	GTIN-14 Number (Box quantity)	15705020567039
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.