Etra Red Long Life G12+

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: 1.1

1.2

Etra Red Long Life G12+

Other means of identification:

Non-applicable

Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Coolant

Uses advised against: All uses not specified in this section or in section 7.3

- 1.3 Details of the supplier of the safety data sheet: ESTKO NORDIC OY Huhtimontie 21 04200 Kerava - FINLAND Phone: (+358) 40 6865870 myynti@estkonordic.fi www.estkonordic.fi
- 1.4 Emergency telephone number: 09 471 977

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302 Eye Irrit. 2: Eye irritation, Category 2, H319 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 (Oral), H373 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2, H373 Label elements:

2.2

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. **Precautionary statements:**

P102: Keep out of reach of children. P264: Wash hands thoroughly after handling P270: Do not eat, drink or smoke when using this product. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330: Rinse mouth.

Substances that contribute to the classification

GLYCOL; DIETHYLENE GLYCOL

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Glycol/s

Etra Red Long Life G12+

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | | Concentration |
|------------------|--|------------------------------------|---|-----------------|---------------|
| CAS: EC: | | | | Self-classified | |
| Index: | 603-027-00-1 01-2119456816-28- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; STOT RE 2: H373 - Warning | () 🚸 | 75 - <100 % |
| CAS: EC: | 111-46-6 203-872-2 | 2,2' -oxybisethanol ⁽¹⁾ | | Self-classified | |
| Index: REACH: | 603-140-00-6 01-2119457857-21- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; STOT RE 2: H373 - Warning | (!) | 5 - <15 % |
| | 3164-85-0 221-625-7 | Potassium 2-ethylhexan | oate ⁽¹⁾ | Self-classified | |
| Index: | 221-023-7 Non-applicable 01-2119980714-29- XXXX | Regulation 1272/2008 | Eye Dam. 1: H318; Repr. 2: H361; Skin Irrit. 2: H315 - Danger | | 1 - <5 % |

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection. **By eve contact:**

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. **Unsuitable extinguishing media:**

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

Etra Red Long Life G12+

SECTION 5: FIREFIGHTING MEASURES (continued)

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection. **For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Maximum Temp.: 25 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Etra Red Long Life G12+

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupational exposure limits | | | |
|-----------------------------|------------------------------|--------|-----------------------|--|
| Ethanediol | IOELV (8h) | 20 ppm | 52 mg/m ³ | |
| CAS: 107-21-1 EC: 203-473-3 | IOELV (STEL) | 40 ppm | 104 mg/m ³ | |

DNEL (Workers):

| | | Short exposure | | Long exposure | |
|----------------------------|------------|----------------|----------------|-------------------------|----------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Ethanediol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 107-21-1 | Dermal | Non-applicable | Non-applicable | 106 mg/kg | Non-applicable |
| EC: 203-473-3 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 35 mg/m ³ |
| 2,2' -oxybisethanol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 111-46-6 | Dermal | Non-applicable | Non-applicable | 43 mg/kg | Non-applicable |
| EC: 203-872-2 | Inhalation | Non-applicable | Non-applicable | 44 mg/m ³ | 60 mg/m ³ |
| Potassium 2-ethylhexanoate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 3164-85-0 | Dermal | Non-applicable | Non-applicable | 5,95 mg/kg | Non-applicable |
| EC: 221-625-7 | Inhalation | Non-applicable | Non-applicable | 41,98 mg/m ³ | Non-applicable |

DNEL (General population):

| | | | xposure | Long e | xposure |
|----------------------------|------------|----------------|----------------|-------------------------|----------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Ethanediol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 107-21-1 | Dermal | Non-applicable | Non-applicable | 53 mg/kg | Non-applicable |
| EC: 203-473-3 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 7 mg/m ³ |
| 2,2' -oxybisethanol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 111-46-6 | Dermal | Non-applicable | Non-applicable | 21 mg/kg | Non-applicable |
| EC: 203-872-2 | Inhalation | Non-applicable | Non-applicable | 12 mg/m ³ | 12 mg/m ³ |
| Potassium 2-ethylhexanoate | Oral | Non-applicable | Non-applicable | 2,98 mg/kg | Non-applicable |
| CAS: 3164-85-0 | Dermal | Non-applicable | Non-applicable | 2,98 mg/kg | Non-applicable |
| EC: 221-625-7 | Inhalation | Non-applicable | Non-applicable | 10,35 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|----------------------------|--------------|----------------|-------------------------|-------------|
| Ethanediol | STP | 199,5 mg/L | Fresh water | 10 mg/L |
| CAS: 107-21-1 | Soil | 1,53 mg/kg | Marine water | 1 mg/L |
| EC: 203-473-3 | Intermittent | 10 mg/L | Sediment (Fresh water) | 37 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 3,7 mg/kg |
| 2,2' -oxybisethanol | STP | 199,5 mg/L | Fresh water | 10 mg/L |
| CAS: 111-46-6 | Soil | 1,53 mg/kg | Marine water | 1 mg/L |
| EC: 203-872-2 | Intermittent | 10 mg/L | Sediment (Fresh water) | 20,9 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 2,09 mg/kg |
| Potassium 2-ethylhexanoate | STP | 71,7 mg/L | Fresh water | 0,36 mg/L |
| CAS: 3164-85-0 | Soil | 1,06 mg/kg | Marine water | 0,036 mg/L |
| EC: 221-625-7 | Intermittent | 0,493 mg/L | Sediment (Fresh water) | 6,37 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,637 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) B.- Respiratory protection Replace when there is a taste or smell of the contaminant Filter mask for gases and EN 405:2002+A1:2010 inside the face mask. If the contaminant comes with vapours warnings it is recommended to use isolation equipment. Mandatory respiratory tract protection C.- Specific protection for the hands Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), EN ISO 21420:2020 Replace the gloves at any sign of deterioration. Breakthrough time: > 480 min, Thickness: 0.062 mm) CAT III Mandatory hand protection As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application. D.- Eye and face protection EN 166-2002 Clean daily and disinfect periodically according to the EN 167:2002 Face shield manufacturer's instructions. Use if there is a risk of EN 168:2002 splashing. EN ISO 4007:2018 Mandatory face protection E.- Body protection EN 13034:2005+A1:2009 EN 168:2002 Disposable clothing for EN ISO 13982-1:2004/A1:2010 For professional use only. Clean periodically according protection against chemical EN ISO 6529:2013 to the manufacturer's instructions. risks EN ISO 6530:2005 CAT III Mandatory complete EN 464:1994 body protection EN ISO 20345:2011 Safety footwear for protection Replace boots at any sign of deterioration. against chemical risk EN 13832-1:2019 Mandatory foot CAT III protection F.- Additional emergency measures **0**+ ANSI Z358-1 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Eyewash stations Emergency shower **Environmental exposure controls:** In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Non-applicable Average carbon number: Average molecular weight: Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

*Not relevant due to the nature of the product, not providing information property of its hazards.

| EC. | TION 9: PHYSICAL AND CHEMICAL PROPE | RTIES (continued) |
|-----|--|--|
| | Appearance: | |
| | Physical state at 20 °C: | Liquid |
| | Appearance: | Not available |
| | Colour: | According to the markings on the package |
| | Odour: | Not available |
| | Odour threshold: | Non-applicable * |
| | Volatility: | |
| | Boiling point at atmospheric pressure: | Non-applicable * |
| | Vapour pressure at 20 °C: | 8 Pa |
| | Vapour pressure at 50 °C: | 60,96 Pa (0,06 kPa) |
| | Evaporation rate at 20 °C: | Non-applicable * |
| | Product description: | |
| | Density at 20 °C: | Non-applicable * |
| | Relative density at 20 °C: | 1,12 |
| | Dynamic viscosity at 20 °C: | Non-applicable * |
| | Kinematic viscosity at 20 °C: | Non-applicable * |
| | Kinematic viscosity at 40 °C: | Non-applicable * |
| | Concentration: | Non-applicable * |
| | pH: | 7,5 - 9 |
| | Vapour density at 20 °C: | Non-applicable * |
| | Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| | Solubility in water at 20 °C: | Non-applicable * |
| | Solubility properties: | Non-applicable * |
| | Decomposition temperature: | Non-applicable * |
| | Melting point/freezing point: | Non-applicable * |
| | Flammability: | |
| | Flash Point: | 112 °C |
| | Flammability (solid, gas): | Non-applicable * |
| | Autoignition temperature: | >400 °C |
| | Lower flammability limit: | Non-applicable * |
| | Upper flammability limit: | Non-applicable * |
| | Particle characteristics: | |
| | Median equivalent diameter: | Non-applicable |
| .2 | Other information: | |
| | Information with regard to physical hazard classes: | |
| | Explosive properties: | Non-applicable * |
| | Oxidising properties: | Non-applicable * |
| | Corrosive to metals: | Non-applicable * |
| | Heat of combustion: | 16,31 kJ/g |
| | Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |
| | Other safety characteristics: | NT 1' 11 * |
| | Surface tension at 20 °C: | Non-applicable * |
| | Refraction index: | Non-applicable * |

Etra Red Long Life G12+

| SEC | TION 10: STABILITY AND | REACTIVITY | | | |
|------|---|-------------------------------|---|-----------------------------|----------------------------------|
| 10.1 | Reactivity: | | | | |
| | No hazardous reactions are expe | cted because the product i | s stable under recommended | storage conditions. See se | ection 7. |
| 10.2 | Chemical stability: | - | | - | |
| | Chemically stable under the indi | cated conditions of storage | e, handling and use. | | |
| 10.3 | Possibility of hazardous reaction | - | | | |
| | Under the specified conditions, h | | ad to excessive temperatures | or pressure are not expec | ted. |
| 10.4 | Conditions to avoid: | | 1 | 1 1 | |
| | Applicable for handling and stor | age at room temperature: | | | |
| | Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
| | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 10.5 | Incompatible materials: | | | | |
| | Acids | Water | Oxidising materials | Combustible materials | Others |
| | Avoid strong acids | Not applicable | Not applicable | Not applicable | Avoid alkalis or strong bases |
| 10.6 | Hazardous decomposition pro | ducts: | | | |
| | See subsection 10.3, 10.4 and 10 | | | | |
| | mixtures of chemical substances | can be released: carbon d | ioxide (CO ₂), carbon monoxi | de and other organic com | pounds. |
| | | | | | |
| SEC | TION 11: TOXICOLOGICA | L INFORMATION | | | |
| 11.1 | Information on hazard classes | as defined in Regulation | (EC) No 1272/2008: | | |
| | The experimental information re | lated to the toxicological r | properties of the product itsel | f is not available | |
| | Contains glycols. It is recomme | | | | ity of effects that are |
| | hazardous to the health . | | | or and and to the possion | |
| | Dangerous health implications | : | | | |
| | In case of exposure that is repeti | | | ommended occupational o | exposure limits, adverse effects |
| | on health may result, depending A- Ingestion (acute effect): | on the means of exposure: | | | |
| | | | • • •, .• • . | | |
| | | | dose can cause irritation in t classification criteria are not | | , nausea and vomiting. |
| | hazardous for this effect. For | more information see sec | tion 3. | | |
| | B- Inhalation (acute effect): | | | | |
| | | | ication criteria are not met, as | s it does not contain subst | ances classified as hazardous |
| | for inhalation. For more info - Corrosivity/Irritability: Ba | | classification criteria are not | met, as it does not contai | n substances classified as |
| | hazardous for this effect. For | more information see sec | | , | |
| | C- Contact with the skin and the | e eyes (acute effect): | | | |
| | | - | classification criteria are not i | met. However, it contains | s substances classified as |
| | hazardous for skin contact. F Contact with the eyes: Pro | | | | |
| | D- CMR effects (carcinogenicit | | | | |
| | - Carcinogenicity: Based or | n available data, the classit | fication criteria are not met, a | as it does not contain subs | tances classified as hazardous |
| | for the effects mentioned. For | | | | |
| | IARC: Non-applicable - Mutagenicity: Based on a | vailable data, the classifica | ation criteria are not met, as i | t does not contain substar | nces classified as hazardous for |
| | this effect. For more information | ation see section 3. | | | |
| | Reproductive toxicity: Ba hazardous for this effect. For | | | met. However, it does co | ntain substances classified as |
| | E- Sensitizing effects: | | 0. | | |
| | - Respiratory: Based on ava sensitising effects. For more | | | does not contain substanc | es classified as hazardous with |

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acu | Acute toxicity | | |
|----------------------------|-----------------|------------------|--------|--|
| Ethanediol | LD50 oral | 500 mg/kg (ATEi) | | |
| CAS: 107-21-1 | LD50 dermal | >2000 mg/kg | | |
| EC: 203-473-3 | LC50 inhalation | >20 mg/L | | |
| 2,2' -oxybisethanol | LD50 oral | 500 mg/kg | Rat | |
| CAS: 111-46-6 | LD50 dermal | 11890 mg/kg | Rabbit | |
| EC: 203-872-2 | LC50 inhalation | >20 mg/L | | |
| Potassium 2-ethylhexanoate | LD50 oral | >2000 mg/kg | | |
| CAS: 3164-85-0 | LD50 dermal | >2000 mg/kg | | |
| EC: 221-625-7 | LC50 inhalation | >5 mg/L | | |

Acute Toxicity Estimate (ATE mix):

| | ATE mix | Ingredient(s) of unknown toxicity |
|------------|-------------------------------------|-----------------------------------|
| Oral | 512,82 mg/kg (Calculation method) | 0 % |
| Dermal | >2000 mg/kg (Calculation method) | Non-applicable |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | | Concentration | Species | Genus |
|---------------------|------|--------------------|---------------------------|------------|
| Ethanediol | LC50 | 53000 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 107-21-1 | EC50 | 51000 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 203-473-3 | EC50 | 24000 mg/L (168 h) | Selenastrum capricornutum | Algae |
| 2,2' -oxybisethanol | LC50 | 32000 mg/L (96 h) | Gambussia afinis | Fish |
| CAS: 111-46-6 | EC50 | 84000 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 203-872-2 | EC50 | Non-applicable | | |

Chronic toxicity:

| Identification | Concentration | | Species | Genus |
|-----------------------------|---------------|----------------|--------------------|------------|
| 2,2' -oxybisethanol | NOEC | Non-applicable | | |
| CAS: 111-46-6 EC: 203-872-2 | NOEC | 8590 mg/L | Ceriodaphnia dubia | Crustacean |

12.2 Persistence and degradability:

Etra Red Long Life G12+

SECTION 12: ECOLOGICAL INFORMATION (continued)

Substance-specific information:

| Identification | D | egradability | Bioc | degradability |
|---------------------|----------|--------------|-----------------|---------------|
| Ethanediol | BOD5 | 0,47 g O2/g | Concentration | 100 mg/L |
| CAS: 107-21-1 | COD | 1,29 g O2/g | Period | 14 days |
| EC: 203-473-3 | BOD5/COD | 0,36 | % Biodegradable | 90 % |
| 2,2' -oxybisethanol | BOD5 | 0,05 g O2/g | Concentration | 100 mg/L |
| CAS: 111-46-6 | COD | 1,51 g O2/g | Period | 28 days |
| EC: 203-872-2 | BOD5/COD | 0,03 | % Biodegradable | 90 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | |
|---------------------|---------------------------|-------|
| Ethanediol | BCF | 10 |
| CAS: 107-21-1 | Pow Log | -1.36 |
| EC: 203-473-3 | Potential | Low |
| 2,2' -oxybisethanol | BCF | 0 |
| CAS: 111-46-6 | Pow Log | -1.47 |
| EC: 203-872-2 | Potential | Low |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|---------------------|-----------------------|----------------------|------------|---------------------------------|
| Ethanediol | Koc | 0 | Henry | 1,327E-1 Pa·m ³ /mol |
| CAS: 107-21-1 | Conclusion | Very High | Dry soil | No |
| EC: 203-473-3 | Surface tension | 4,989E-2 N/m (25 °C) | Moist soil | No |
| 2,2' -oxybisethanol | Koc | 1 | Henry | 2,06E-4 Pa·m ³ /mol |
| CAS: 111-46-6 | Conclusion | Very High | Dry soil | No |
| EC: 203-872-2 | Surface tension | 4,954E-2 N/m (25 °C) | Moist soil | No |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|---|
| 16 05 06* | laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

| SECTION 14: T | RANSPORT INFORMATION | | | |
|---------------------------------------|---|----------------|--|--|
| Transport of dangerous goods by land: | | | | |
| With rega | rd to ADR 2021 and RID 2021: | | | |
| 14.1 | UN number or ID number: | Non-applicable | | |
| 14.2 | UN proper shipping name: | Non-applicable | | |
| 14.3 | Transport hazard class(es): | Non-applicable | | |
| | Labels: | Non-applicable | | |
| 14.4 | Packing group: | Non-applicable | | |
| 14.5 | Environmental hazards: | No | | |
| 14.6 | Special precautions for user | | | |
| | Special regulations: | Non-applicable | | |
| | Tunnel restriction code: | Non-applicable | | |
| | Physico-Chemical properties: | see section 9 | | |
| | Limited quantities: | Non-applicable | | |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Non-applicable | | |
| Transpor | t of dangerous goods by sea: | | | |
| With rega | rd to IMDG 40-20: | | | |
| 14.1 | UN number or ID number: | Non-applicable | | |
| 14.2 | UN proper shipping name: | Non-applicable | | |
| 14.3 | Transport hazard class(es): | Non-applicable | | |
| | Labels: | Non-applicable | | |
| 14.4 | Packing group: | Non-applicable | | |
| 14.5 | Marine pollutant: | No | | |
| 14.6 | Special precautions for user Special regulations: | Non-applicable | | |
| | EmS Codes: | | | |
| | Physico-Chemical properties: | see section 9 | | |
| | Limited quantities: | Non-applicable | | |
| | Segregation group: | Non-applicable | | |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Non-applicable | | |
| Transpor | t of dangerous goods by air: | | | |
| With rega | rd to IATA/ICAO 2023: | | | |
| 14.1 | UN number or ID number: | Non-applicable | | |
| 14.2 | UN proper shipping name: | Non-applicable | | |
| 14.3 | Transport hazard class(es): | Non-applicable | | |
| | Labels: | Non-applicable | | |
| 14.4 | Packing group: | Non-applicable | | |
| 14.5 | Environmental hazards: | No | | |
| 14.6 | Special precautions for user | | | |
| | Physico-Chemical properties: | see section 9 | | |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Non-applicable | | |
| | | | | |
| SECTION 15: F | EGULATORY INFORMATIC |)N | | |

| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture: |
|------|--|
| | Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable |
| | Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable |
| | Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable |
| | Article 95, REGULATION (EU) No 528/2012: Non-applicable |
| | REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable |
| | Seveso III: |
| | Non-applicable |
| | |

Etra Red Long Life G12+

SECTION 15: REGULATORY INFORMATION (continued)

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H373: May cause damage to organs through prolonged or repeated exposure (Oral).

H373: May cause damage to organs through prolonged or repeated exposure.

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

Classification procedure:

STOT RE 2: Calculation method STOT RE 2: Calculation method

Acute Tox. 4: Calculation method

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.