2973Q4

Aluminum Telescopic Handle, waterfed, w/Metal Coupling (Q), 1600 - 2780 mm, Ø32 mm, Red





## FDA

Ergonomically designed to improve the user's working position, this water-fed telescopic handle with quick-release coupling hose and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product including the

condensation squeegee (7716x). Maximum pressure, 6 bars. Maximum water temperature, 50  $^{\circ}$ C. Do not use with acid or chlorine.

## **Technical Data**

MaterialAnodised Aluminium Polypropylene Chromium-plated brassComplies with (EC) 1935/2004 on food contact materials'NoComplies with EU Regulation 2023/2006/EC of GoodYesComplies with FDA Regulation 1CFR 211YesComplies with UK 2019 No. 704 on food contact materialsNoComplies with California Proposition 65NoSCIP numbere49c50b5-7653-429c- b873-803d37b5fefePhthalates and bisphenol A intentionally addedNoBox Quantity5 Pes.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Height85 mmProduct Diameter32 mmHeight32 mmHeight1.02 kgWidth1.02 kgWeight1.02 kgWeight1.02 kgWeight1.02 kgWeight1.02 kgWeight1.02 kgWeight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.02 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)1.21 °CMax. Lenget temperature (Dishwasher)80 °CMax. Jervalue in usage concentration2 pHMax. ber pressure6 Bar	Item Number	2973Q4
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsNoComplies with California Proposition 65NoSCIP numbere49c50b5-7653-429c- bb83-8003/5tefc- bb83-8003/5tefc- bb83-8003/5tefc-Complies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmLength1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Leagin perature (no food contact)80 °CMin. usage temperature (Dishwasher)93 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pH	Material	Polypropylene
Manufacturing Practice   Complies with FDA RegulationI CFR 21' Yes   Complies with UK 2019 No. 704 on food contact materials No   Complies with REACH Regulation (EC) No. 1907/2006 Yes **   Complies with California Proposition 65 No   SCIP number e49c50b5-7653-429c- b8f3-803d37b5fefc   Complies with Halal and Kosher Yes   Phthalates and bisphenol A intentionally added No   Box Quantity 5 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs   Quantity Per Layer (Pallet) 25 Pcs.   Box Length 1650 mm   Box Kidth 140 mm   Box Kidth 140 mm   Box Kidth 140 mm   Box Kidth 1600 mm   Width 32 mm   Length 1600 mm   Width 32 mm   Keight cardboard (Recycling symbol "20" PAP) 0.07 kg   Gross Weight 1.02 kg   Weight cardboard (Recycling symbol "20" PAP) 0.07 kg   Gross Weight 1.09 kg   Cubic metre 0.001638 M3   Recommended sterilisation temperature (Autoclave) 121 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Import of the part of the		Yes
Complies with REACH Regulation (EC) No. 1907/2006Yes **Complies with California Proposition 65NoSCIP numbere49c50b5-7653-429c- b8f3-803d37b5fefcComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 nmMax. Length1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Length negreture (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)2 PHMax. PH-value in Usage Concentration2 PHMax. PH-value in Usage Concentration8 PH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65NoSCIP numbere49c50b5-7653-429c- b8f3-803d37b5fefcComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Kleight85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmKeight1.02 kgWeight1.02 kgWeight1.02 kgCubic metre0.007 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Length metre0.001638 M3Recommended sterilisation temperature (Autoclave)221 °CMax usage temperature (Dishwasher)93 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Complies with UK 2019 No. 704 on food contact materials	No
SCIP numbere49c50b5-7653-429c- b8f3-803d37b5fefcComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1000 mmWidth32 mmLength1.02 kgWeight1.02 kgWeight1.02 kgWeight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Lengtn23 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes **
b8f3-803d37b5fefcComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1000 mmWidth32 mmKeight1.02 kgWeight1.02 kgWeight1.02 kgWeight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature3-20 °CMin. usage temperature3-20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Complies with California Proposition 65	No
Phthalates and bisphenol A intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature (non food contact)80 °CMin. usage temperature 3-20 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration8 pH	SCIP number	
Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Width32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1600 mmWidth32 mmLength1000 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperatures-20 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Width32 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperatures-20 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet)25 Pcs.Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic cmetre0.001632 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Quantity	5 Pcs.
Box Length1650 mmBox Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature3-20 °CMin. usage temperature3-20 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration8 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width140 mmBox Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. sage temperature (Dishwasher)93 °CMax usage temperatures-20 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Quantity Per Layer (Pallet)	25 Pcs.
Box Height85 mmProduct Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Length	1650 mm
Product Diameter32 mmLength1600 mmWidth32 mmHeight32 mmMax. Length32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Width	140 mm
Length1600 mmWidth32 mmHeight32 mmMax. Length32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Height	85 mm
Width32 mmHeight32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Product Diameter	32 mm
Height32 mmMax. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Length	1600 mm
Max. Length2780 mmNet Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Width	32 mm
Net Weight1.02 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Height	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.07 kgTare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max. Length	2780 mm
Tare total0.07 kgGross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Net Weight	1.02 kg
Gross Weight1.09 kgCubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Weight cardboard (Recycling symbol "20" PAP)	0.07 kg
Cubic metre0.001638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Tare total	0.07 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Gross Weight	1.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Cubic metre	0.001638 M3
Max usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration8 pH	Min. usage temperature <sup>3</sup>	-20 °C
	Min. pH-value in usage concentration	2 pH
Max. bars pressure 6 Bar	Max. pH-value in Usage Concentration	8 pH
	Max. bars pressure	6 Bar

Gtin-13 Number	5705022973404
GTIN-14 Number (Box quantity)	15705022973401
Customs Tariff No.	76169990
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 0° Celsius.