Ultra Hygienic Handle, Ø32 mm, 1700 mm, Blue





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Material Polypropylene Glass reinforced Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521928-0005, UK 6133993, US 2084,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Box Length 1720 mm Box Width 235 mm Box Width 235 mm Box Width 32 mm Length 1700 mm Width 32 mm <th>Item Number</th> <th>29643</th>	Item Number	29643
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Width 235 mm Box Width 80 mm Product Diameter Length 1700 mm Width 132 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 10.0464 kg Gross Weight Cubic metre 0.001741 M3 Recommended sterillisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (Ino food contact) Min. usage temperature Min. usage tem	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 400 Pcs Box Length 1720 mm Box Width 235 mm Product Diameter Box Height 80 mm Width 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.605 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ino food contact) Min. usage temperature 100 °C Max. drying temperature	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Yes Complies with FDA Regulation (FR 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 0008521926-00005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.65 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage t	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 80 x Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 40,605 kg Weight cardboard (Recycling symbol "20" PAP) 10,0464 kg Gross Weight 10,0464 kg Gross Weight 10,0464 kg Cubic metre 10,001741 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80 x Usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Box Length 1720 mm Box Width 235 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.65 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 80 x Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (food contact) Min. usage temperature Mex. drying temperature Max. drying temperature Mos Score Max. drying temperature Mos Adyling temperature 100 °C Max. drying temperature	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Tare total 0.0464 kg Gross Weight 0.65 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Tare total 0.055 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 008521926-0005, UK 6133993, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Tare total 0.055 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.05 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Tare total 0.05 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Design Registration No.	UK 6133993, US
Quantity Per Layer (Pallet) 40 Pcs. Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.05 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Box Quantity	10 Pcs.
Box Length 1720 mm Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Gross Weight 0.05 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs
Box Width 235 mm Box Height 80 mm Product Diameter 32 mm Length 1700 mm Width 32 mm Height 32 mm Net Weight 0.605 kg Weight cardboard (Recycling symbol "20" PAP) 0.0464 kg Tare total 0.0464 kg Gross Weight 0.65 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmLength1700 mmWidth32 mmHeight32 mmNet Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	1720 mm
Product Diameter32 mmLength1700 mmWidth32 mmHeight32 mmNet Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	235 mm
Length1700 mmWidth32 mmHeight32 mmNet Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	80 mm
Width32 mmHeight32 mmNet Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Diameter	32 mm
Height32 mmNet Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	1700 mm
Net Weight0.605 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.65 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	32 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.0464 kg Gross Weight Cubic metre O.001741 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature	Height	32 mm
Tare total 0.0464 kg Gross Weight 0.65 kg Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Max. drying temperature (100 °C	Net Weight	0.605 kg
Gross Weight Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0464 kg
Cubic metre 0.001741 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Tare total	0.0464 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Gross Weight	0.65 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001741 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020296437
GTIN-14 Number (Box quantity)	15705020296434
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.