31942 Broom, 610 mm, Soft/hard, Green







Designed for the effective cleaning of both wet and dry surfaces, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

Technical Data

Bristle stiffnessSoft/hardVisible bristle length60 mmMaterialPolyporopytene Polyester Stainless Steel (AISI 304)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EDA Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation 1CFR 21'YesComplies with FDA Regulation 1CFR 21'YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity Per Pallet (80 x 120 x 180-200 cm)240 Pcs.Box Length610 mmBox Kith290 mmBox Length610 mmBox With70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgCubic metre0.005338 M3Recommended sterilisation temporature (Autoclave)121 "CMax usage temperature (Dishwasher)93 "CMax usage temperature (Dishwasher)93 "CMax usage temperature (Dishwasher)93 "CMax usage temperature100 "CMin. usage temperature100 "C	Item Number	31942
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with VX 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Box Length 610 mm Box Vidth 290 mm Box Keight 0.00 mm Length 610 mm Width 200 mm Length 0.014 mm Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Cross Weight 0.75 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Cons Signt 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) <t< th=""><th>Bristle stiffness</th><th>Soft/hard</th></t<>	Bristle stiffness	Soft/hard
Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation I CFR 21' Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Box Length 610 mm Box Vidth 290 mm Box Klight 200 mm Length 610 mm Width 200 mm Length 0.104 mm Width 200 mm Length 0.104 mm Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C <tr< th=""><th>Visible bristle length</th><th>60 mm</th></tr<>	Visible bristle length	60 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Height200 mmBox Height200 mmNet Height125 mmWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pos. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Vidth 290 mm Box Height 200 mm Length 610 nm Width 290 nm Box Keight 0.00 mm Length 610 nm Width 290 nm Box Keight 0.00 nm Length 610 nm Width 200 nm Length 0.01 nm Weight 0.75 kg Weight cardboard (Recycling Symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 <	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight cardboard (Recycling Symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (food contact)80 °CMax. drying temperature-20 °CMax. drying temperature100 °CMax. drying temperature100 °C	•	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterillsation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature0.00 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight0.10 mmWeight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. drying temperature0.00 ccMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width290 mmBox Height200 mmLength610 mmVidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	610 mm
Length610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	290 mm
Width70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Height	200 mm
Height125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature a-20 °CMax. drying temperature100 °C	Length	610 mm
Net Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature and the sterilisation temperature (100 °CMin. usage temperature and the sterilisation temperature (100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	125 mm
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature	Net Weight	0.75 kg
Tare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C		0.0147 kg
Gross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0253 kg
Cubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.04 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.005338 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	3° 08
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020319426
GTIN-14 Number (Box quantity)	15705020319423
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.