Hygienic Revolving Neck Squeegee w/replacement cassette, 405 mm, , Blue







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7732 for replacement blades).

Technical Data

Material Polypropylene TPE Rubber Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pendling/Patent No. EP2227129 validated in DK, DE, FRANG GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 2200 mm Box Height 100 mm Length 405 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre <td< th=""><th>Item Number</th><th>77223</th></td<>	Item Number	77223
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DIK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Weight Cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.083 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation te	Material	31 13
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in Dik, DE, FR and GB. DE 602008048400.9 Box Quantity EP Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight Lordboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.0338 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature? -20 °C Min. usage temperature? -20 °C Min. usage temperature? -20 °C Max. drying temperature (120 °C Max. drying temperature (120 °C Max. drying temperature? -20 °C Max. drying temperature.	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation (CFR 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and 68. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0265 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight 0.33 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.065 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C <th>·</th> <td>Yes</td>	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Min. usage temperature 120 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 120 °C Max. drying temperature 120 °C <th>Complies with UK 2019 No. 704 on food contact materials</th> <td>Yes</td>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 10 0.0328 kg Gross Weight Cubic metre 0.00308 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. Pat. Pending/Patent No. Beyezz1129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Gross Weight Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) Min. usage temperature 120 °C Max. drying temperature	Complies with California Proposition 65	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (not food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max drying temperature 120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length410 mmBox Width290 mmBox Height210 mmLength405 mmWidth100 mmHeight75 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0265 kgTare total0.0328 kgGross Weight0.33 kgCubic metre0.003038 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)60 Pcs.Box Length410 mmBox Width290 mmBox Height210 mmLength405 mmWidth100 mmHeight75 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0265 kgTare total0.0328 kgGross Weight0.33 kgCubic metre0.003038 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Box Quantity	10 Pcs.
Box Length 410 mm Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width 290 mm Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Max. drying temperature (mm	Quantity Per Layer (Pallet)	60 Pcs.
Box Height 210 mm Length 405 mm Width 100 mm Height 75 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Box Length	410 mm
Length 405 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C	Box Width	290 mm
Width 100 mm Height 75 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0265 kg Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Box Height	210 mm
Height75 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0265 kgTare total0.0328 kgGross Weight0.33 kgCubic metre0.003038 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Length	405 mm
Net Weight0.3 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0265 kgTare total0.0328 kgGross Weight0.33 kgCubic metre0.003038 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Width	100 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature	Height	75 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature	Net Weight	0.3 kg
Tare total 0.0328 kg Gross Weight 0.33 kg Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C) Max. drying temperature (120 °C)		0.0063 kg
Gross Weight Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0265 kg
Cubic metre 0.003038 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Tare total	0.0328 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Gross Weight	0.33 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.003038 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C	Max usage temperature (food contact)	50 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020772238
GTIN-14 Number (Box quantity)	15705020772235
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.