



REF 103.1.452A ALD

## MASCARET 2 ALD

### SAFETY KNIFE WITH AN AUTOMATIC RETRACTABLE BLADE

Made of a food-safe and detectable composite material.

Ideal for all handling works and for opening cardboard boxes and packaging.

- SAFETY**
- The blade retracts automatically as soon as it is lifted from the cutting surface regardless of the position of the trigger.
  - Latch lock at rest positioned on the trigger.



DELIVERED WITH A ROUNDED  
EDGE BLADE



FOR RIGHT AND LEFT  
HANDED USERS



LIGHT



ERGONOMIC



AVOIDS  
MSDs



AUTOMATICALLY RETRACTABLE  
BLADE



ENHANCED SECURITY




RESISTANT TO DETERGENTS

## TECHNICAL SHEET

## INNOVATION : BLADE WITH A ROUNDED EDGE

SAFETY: BACK-AND-FORTH ACTION. A PRESSURE DIFFERENCE DURING CUTTING ALLOWS THE BLADE TO RETRACT AUTOMATICALLY IN THE KNIFE BODY.



## ASSETS



DELIVERED WITH A  
ROUNDED EDGE BLADE  
REF 452A.6 ALD



LOCKABLE TRIGGER



ERGONOMIC AND LIGHT  
FOR RIGHT & LEFT HANDS



SPRING RESISTANCE TESTED  
TO MORE THAN 100,000 ACTIONS

## FUNCTIONS



To cut single-wall carton



For cutting packaging  
tape



For cutting overwrapping  
plastic films



For cutting thick flexible  
plastic films, PVB

### POSITIONING MAGNET

PROMOTES THE MAINTENANCE OF THE BLADE

### TRIGGER LOCK

REINFORCED SECURITY




### OTHER CHARACTERISTICS

- Light (61g).
- Reversible and retractable blade with a spring.
- Easy blade change.
- Avoid MSDs.

## BLADE CHANGE

**01/** Remove the front part after the unlocking (bottom-up) of the switchblade on the knife side.




**02/** Remove the front part, sliding it forward.



**03/** Take out the blade at most, pressing the trigger. Remove carefully the blade through the front.



**04/** Introduce a new blade. Release the blade and then the trigger.




## BLADES

### DELIVERED WITH




### OTHER COMPATIBLE BLADES



Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
452A.6 ALD	Straight blade with a rounded edge	Food-safe stainless steel	54 x 19 x 0,6	16° - 28°	58,0 Hrc
452.6 ALD	Straight blade	Food-safe stainless steel	54 x 19 x 0,6	16° - 28°	58,0 Hrc
453.6 ALD	Straight blade	Food-safe stainless steel	60 x 19 x 0,6	16° - 28°	58,0 Hrc

# TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
SKIN PACK	63,5 g	165 x 63 x 26	10	12 units	Body (2 sides)	PA6 Food-safe and detectable	Blue
					Spring 25 mm	Acier inoxydable	Metal
					Spring 10 mm	Acier inoxydable	Metal
					Rod	POM Food-safe and detectable	Blue
					Spring	POM Food-safe and detectable	Blue
					Trigger	POM Food-safe and detectable	Blue
					Latch	POM Food-safe and detectable	Blue
					Pusher	POM Food-safe and detectable	Blue
					Blade-holder	POM Food-safe and detectable	Blue
					Trap	POM Food-safe and detectable	Blue
					Blade 452A.6 ALD	Food-safe stainless steel	Metal



MURE & PEYROT  
25, rue Roger Touton • BP 50120  
Parc d'Activités Bordeaux Nord  
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / Fax: +33 (0)556 693 202 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION  
[MURE-PEYROT.COM](http://MURE-PEYROT.COM)