Hygienic Wall Bracket, Grip Band Module, 82 mm, Black







The Grip band module is designed for hanging cleaning tools without a hanging hole. Slide the Grip band module onto the supplied double-base/spacer from the left or right side. The Grip module can hold products with a diameter of 28-33 mm. The Grip band module is easy to disassemble for cleaning or replacement.

Technical Data

Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with WK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Box Width Box Height Cungth Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature in usage concentration Min. pH-value in usage concentration	Item Number	10139
Rubber Polyamide Recycling Symbol "5", Polypropylene (PP) Not Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (FC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Not Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Box Length Box Width Box Width Box Height As mm Not Weight Day (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Cubic metre Quosave temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (food contact) Min. usage temperature' Min. usage temperature' Min. usage temperature' Min. pH-value in usage concentration Not Weight value in usage concentration 2 pH Min. pH-value in usage concentration	Holds products between	25 - 34 mm
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Quantity Per Layer (Pallet) 75 Pcs. Box Length 258 mm Box Width 258 mm Box Height 85 mm Length 82 mm Width 87 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight bag (Recycling symbol "4") LDPE ≥ PCR 30% 0.0032 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg <th>Material</th> <th></th>	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity For Pallet (80 x 120 x 180-200 cm) Sox Quantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height So	Recycling Symbol "5", Polypropylene (PP)	No
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Note Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Box Length 258 mm Box Width 230 mm Box Width 230 mm Box Width 85 mm Length 86 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10.0232 kg Gross Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 80 °C Min. usage temperature² 0 °C Min. usage temperature² 0 °C Min. usage temperature² 0 °C Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs Quantity Per Layer (Pallet) 575 Pcs. Box Length Box Width 230 mm Box Height Length 85 mm Length 82 mm Width 87 mm Height Net Weight Quegin teardboard (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.00322 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature (non food contact) Min. pH-value in usage concentration 2 pH Complies with REACH Regulation (Pecson Parcel Contact) Message temperature (autoclave) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs Quantity Per Layer (Pallet) 5 Pcs. Box Length 258 mm Box Width 230 mm Box Height 48 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.00272 kg Gross Weight Cubic metre 0.00342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. pH-value in usage concentration 2 pH Mind PASS PCS Aves PFAS, Pthalates and Pyes Per South (1008) 1008 1008 1008 1008 1008 1008 1008	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Quantity Per Layer (Pallet) 5 Pcs. Box Length 258 mm Box Width 230 mm Box Height 85 mm Length 82 mm Width 87 mm Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 7 Cubic metre 0.000342 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperatures Min. usage temperatures 0 ° Co Min. pH-value in usage concentration	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Quantity Per Layer (Pallet) 75 Pcs. Box Length 258 mm Box Width 230 mm Box Height 85 mm Length 82 mm Width 87 mm Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 40 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity	Complies with California Proposition 65	Yes
Box Quantity For Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Sox Length Box Width Box Height Length Width Height Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature in usage concentration 375 Pcs. BU 008195606-0006, US D977943 5 Pcs. BU 008195606-0006, US D977943 375 Pcs. BU 008195606-0006, US D977943 375 Pcs. BU 008195606-0006, US D9779 Pcs. 375 Pcs. 485 mm 887 mm 887 mm 887 mm 887 mm 987 mm 988 mm	Complies with Halal and Kosher	Yes
US D977943 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 375 Pcs. Quantity Per Layer (Pallet) 75 Pcs. Box Length 258 mm Box Width 230 mm Box Height 85 mm Length 82 mm Width 87 mm Height 48 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 375 Pcs Quantity Per Layer (Pallet) 75 Pcs Box Length 258 mm Box Width 230 mm Box Height 85 mm Length 82 mm Width 87 mm Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH	Design Registration No.	•
Quantity Per Layer (Pallet)75 Pcs.Box Length258 mmBox Width230 mmBox Height85 mmLength82 mmWidth87 mmHeight48 mmNet Weight weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.04 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMin. usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Box Quantity	5 Pcs.
Box Length Box Width Box Width Box Height Box Hei	Quantity per Pallet (80 x 120 x 180-200 cm)	375 Pcs
Box Width230 mmBox Height85 mmLength82 mmWidth87 mmHeight48 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.08201 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	75 Pcs.
Box Height85 mmLength82 mmWidth87 mmHeight48 mmNet Weight0.08201 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Box Length	258 mm
Length82 mmWidth87 mmHeight48 mmNet Weight0.08201 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Box Width	230 mm
Width 87 mm Height 48 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH	Box Height	85 mm
Height48 mmNet Weight0.08201 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Length	82 mm
Net Weight0.08201 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Width	87 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH	Height	48 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.0272 kg Gross Weight O.11 kg Cubic metre O.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ O°C Min. pH-value in usage concentration	Net Weight	0.08201 kg
Tare total 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.004 kg
Gross Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.0232 kg
Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration	Tare total	0.0272 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ O °C Min. pH-value in usage concentration	Gross Weight	0.11 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000342 M3
Max usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ 0 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	40 °C
Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	80 °C
•	Min. usage temperature ³	0 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705022029408
GTIN-14 Number (Box quantity)	15705028029393
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.