Spare part Grip Band Module for 1011x, 1013x & HyGo, 5700x, Pink







Technical Data

Rubber Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 15 Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 29 Box Width 19 Box Height 17 Length Width 7 Height 4 Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 7 Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	em Number	10031
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 15 Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 29 Box Width 19 Box Height 17 Length Width Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 1.28 Gross Weight 0.0026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	aterial	Polypropylene TPE Rubber
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 15 Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 29 Box Width 19 Box Height 17 Length 8 Width 7 Height 4 Net Weight Question Symbol "4") LDPE ≥ PCR 30% Quods Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight 0.0026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ecycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 15 Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 29 Box Width 19 Box Height 17 Length 80 Width 70 Height Net Weight Quencycling Symbol "4") LDPE ≥ PCR 30% Quantity Per Loyer Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact)	omplies with (EC) 1935/2004 on food contact materials¹	No
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 15 Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 20 Box Length 29 Box Width 19 Box Height 17 Length 8 Width 7 Height 4 Net Weight 9 Grecycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10 Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact)	· ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 19 Box Width 19 Box Height 17 Length Width 70 Height Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperature (non food contact)	omplies with FDA RegulationI CFR 21¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 19 Box Width 19 Box Height 17 Length Width 70 Height Net Weight Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperature (non food contact)	omplies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Length Box Height Length Width Theight Net Weight Net Weight Gross Weight Gross Weight Cubic metre Max usage temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact)	omplies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Quantity P	omplies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 19 Box Height 17 Length Width 70 Height Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact)	omplies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 240 Quantity Per Layer (Pallet) 240 Box Length 29 Box Width 19 Box Height 17 Length 8 Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1: Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	FAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 240 Box Length 29 Box Width 19 Box Height 17 Length 8 Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ox Quantity	15 Pcs.
Box Length29Box Width19Box Height17Length8Width7Height4Net Weight0.057Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.00Weight cardboard (Recycling symbol "20" PAP)0.0080Tare total0.0128Gross Weight0.Cubic metre0.00026Recommended sterilisation temperature (Autoclave)1:Max. cleaning temperature (Dishwasher)Max usage temperature (food contact)Max usage temperature (non food contact)	uantity per Pallet (80 x 120 x 180-200 cm)	2400 Pcs
Box Width 19 Box Height 17 Length 8 Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.000 Weight cardboard (Recycling symbol "20" PAP) 0.00800 Tare total 0.01280 Gross Weight 0.000000 Cubic metre 0.0000000 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	uantity Per Layer (Pallet)	240 Pcs.
Box Height 17 Length 8 Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.000 Weight cardboard (Recycling symbol "20" PAP) 0.00800 Tare total 0.0128 Gross Weight 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ox Length	293 mm
Length 8 Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ox Width	190 mm
Width 7 Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ox Height	175 mm
Height 4 Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.008 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ength	80 mm
Net Weight 0.057 Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	/idth	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.006 Weight cardboard (Recycling symbol "20" PAP) 0.0080 Tare total 0.0128 Gross Weight 0. Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 13 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	eight	48 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	et Weight	0.05791 kg
Tare total Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	eight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0048 kg
Gross Weight Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	eight cardboard (Recycling symbol "20" PAP)	0.008002 kg
Cubic metre 0.00026 Recommended sterilisation temperature (Autoclave) 1: Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	are total	0.012802 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ross Weight	0.07 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	ubic metre	0.000269 M3
Max usage temperature (food contact) Max usage temperature (non food contact)	ecommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)	ax. cleaning temperature (Dishwasher)	93 °C
	ax usage temperature (food contact)	40 °C
Min. usage temperature ³	ax usage temperature (non food contact)	80 °C
	in. usage temperature³	0 °C
Min. pH-value in usage concentration	in. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10	ax. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number 570502203	TIN-13 Number	5705022036147
GTIN-14 Number (Box quantity) 1570502803	TIN-14 Number (Box quantity)	15705028036131
Customs Tariff No. 3924	ustoms Tariff No.	39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact