Bottle for condensed water, 0.5 Litre, 1/2"(Q)





Designed to collect condensation when using the Condensation Squeegee (7716x), this bottle has a metal coupling that connects easily to the handle (product nos. 2991Q and 2973Q).

Technical Data

Item Number	11005
Couplings Size	1/2 "
Material	Polyethylene (HDPE) Chromium-plated brass Galvanized steel (S235) Synthetic rubber
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	e0168018-f69a-4efe- 99c9-e829c26a9d63
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	3 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Quantity Per Layer (Pallet)	16 Pcs.
Box Length	290 mm
Box Width	190 mm
Box Height	175 mm
Length	100 mm
Width	100 mm
Height	185 mm
Net Weight	0.13 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0397 kg
Tare total	0.0397 kg
Gross Weight	0.17 kg
Cubic metre	0.00185 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
GTIN-13 Number	5705020110054
GTIN-14 Number (Box quantity)	15705020110051
Customs Tariff No.	96039099
Country of origin	Italy

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

^{**} Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is

registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 0° Celsius.