53623

Cleaning set w/3 Brushes, Ø2, Ø6, Ø6 mm, 150 mm, Soft, Blue







Ideal for cleaning very small nozzles and valves in appliances such as coffee-, juice-, soft ice and frozen yoghurt machines. This three-piece Cleaning Set comes with Ø2 mm, Ø6 mm and Ø6 mm brushes.

Technical Data

Bristle stiffness Soft Material Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 12FR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 9880 Pcs Quantity Por Layer (Pallet) 200 Pcs. Box Length 150 mm Box Kleight 100 mm Box Kleight 0.01 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0018 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Iood contact) 100 °C Max usage temperature (Iood contact) 100 °C Max usage temperature (Iood contact) 100 °C Max usage temperature (Iood contact) 1	Item Number	53623
Stainless Steel (AISI 304) 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation CFR 21' Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 9880 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 150 mm Box Width 90 mm Box Width 90 mm Box Height 10 mm Product Length/Depth 150 mm Net Weight 0.01 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Dod contact) 100 °C Min. usage temperature	Bristle stiffness	Soft
Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA RegulationI CFR 211 Yes Complies with WX 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 9880 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 150 mm Box Kight 0.01 kg Product Length/Depth 150 mm Net Weight 0.01 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0018 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Ios contact) 100 °C Max usage temperature -20 °C Max. usage temperature -20 °C Max. deaning temperature 100 °C Min. usage temperature 100 °C Min. usage temperature	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 9880 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 150 mm Box Width 90 mm Box Height 10 mm Product Length/Depth 150 mm Net Weight 0.01 kg Gross Weight 0.01 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature -200 °C Max. drying temperature 100 °C Min. usage temperature 202 °C Max. drying temperature 100 °C Min. usage temperature<	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgGross Weight0.001 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration9 c039099GTIN-14 Number (Box quantity)15705022016606GTIN-14 Number (Box quantity)1570502016591Customs Tariff No.96039099		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature in on food contact)100 °CMin. usage temperature (Ion food contact)100 °CMax. drying temperature100 °CMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature at the state of the state	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-14 Number (Box quantity)15705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHGTIN-14 Number (Box quantity)15705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)9880 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgTare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)200 Pcs.Box Length150 mmBox Width90 mmBox Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgGross Weight0.01 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Box Quantity	10 Pcs.
Box Length 150 mm Box Width 90 mm Box Height 10 mm Product Length/Depth 150 mm Net Weight 0.01 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0018 kg Tare total 0.0018 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022016606 GTIN-14 Number (Box quantity) 15705028016591 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 180-200 cm)	9880 Pcs
Box Width90 mmBox Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgTare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Quantity Per Layer (Pallet)	200 Pcs.
Box Height10 mmProduct Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgTare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Box Length	150 mm
Product Length/Depth150 mmNet Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgTare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Box Width	90 mm
Net Weight0.01 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0018 kgTare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Box Height	10 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0018 kg Tare total 0.0018 kg Gross Weight 0.01 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022016606 GTIN-14 Number (Box quantity) 15705028016591 Customs Tariff No. 96039099	Product Length/Depth	150 mm
Tare total0.0018 kgGross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Net Weight	0.01 kg
Gross Weight0.01 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0018 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Tare total	0.0018 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Gross Weight	0.01 kg
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Max usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022016606GTIN-14 Number (Box quantity)15705028016591Customs Tariff No.96039099	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022016606 GTIN-14 Number (Box quantity) 15705028016591 Customs Tariff No. 96039099	Max. drying temperature	100 °C
GTIN-13 Number 5705022016606 GTIN-14 Number (Box quantity) 15705028016591 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705028016591 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 96039099	GTIN-13 Number	5705022016606
	GTIN-14 Number (Box quantity)	15705028016591
Country of origin Cambodia	Customs Tariff No.	96039099
	Country of origin	Cambodia

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.