



198x290mm SuperCube Rectangular

Product Information Sheet

SKU/Product ID/Reference

6084

Product Description

Every detail counts when you want to make the most of warehousing and transportation. The shape of your packaging is one of them. Have you realised that you can make more square units fit in a confined space compared to round packaging units? SuperCube® reduces warehousing space consumption and consequently logistical costs in a smart and easy way. Your customers will enjoy the easy to open peel-off lid and the convenient carrying. The shape will make your product stand out of the crowd if your market is dominated by round containers. Large decoration area The shape of SuperCube® also gives you the possibility to display your brand on a large, uninterrupted decoration area by means of In-Mould-Labeling. The square packaging is available in a broad range of sizes; rectangular or square. This gives you the option to create a family image through your packaging solution: Your variety of products become easily recognisable through great brand display on SuperCube®.



Circular Solutions

Recycled plastic, Reuse/refill

Features and Benefits

- Large display surface
- Space efficient shape
- Broad product range and many sizes
- Easy to open peel-off lid for user-friendliness
- Same lid fits several volumes
- Excellent decoration options with In-Mould Labelling

- FlakeFree® option on certain lids to prevent dry paint flakes from falling into the paint
- Liquid tight
- Base Line
- Re-closure
- Safe environmental disposal (PP)
- Re-use
- FlakeFree

Regions Available

Africa, Asia, Europe, Mexico Central America Caribbean, Oceania, South America

Product Information

Shape	Rectangular
Width Range	198 mm
Length Range	290 mm
Height	14 mm
Weight	71 g
Material	PP

berryglobal.com

Specifications are subject to change without notice.

SuperCube Rectangular Tamper Evidence Easy Open System Lid 290 x 198 mm

Product no: 6084
Shape: Rectangular



DIMENSIONS

External length top:	286 mm ± 3 mm	External width top:	194 mm ± 1 mm
Height:	14 mm ± 0.5 mm		

WEIGHT

Weight: 71 g ± 3.6 g

PERFORMANCE

Stacking tests The stacking tests have been performed to the standard virgin raw material as stated below at 23°C over a period of 2 months. Stackability depends on many factors and the above data is meant as an indication only. Consequently, customers should make internal trials to determine the viability of stacking and transportation.

CLOSURE SYSTEM

Closure type: Peel-off

DECORATION

Decoration available: IML

RAW MATERIAL (MECHANICAL PROPERTIES)

Raw material options: PP

Masterbatch colours: Colours according to Berry standard selected pantone colours.

Hot temperatures: The material chosen has a very good heat resistance and the packaging is suitable for hot filling. Notably, plastic packaging become flexible when subjected to hot filling temperatures and care must be taken in relation to stacking immediately after hot filling. The Berry packaging must be tested by the customer with the actual product before approval for use at hot temperatures.

Cold temperatures: Freezing conditions require special resins available on request. The Berry packaging must be tested by the customer with the actual product before approval for use at low temperatures.

QUALITY SPECIFICATIONS

Approvals: This Berry Product complies with the European Union Commission Regulation No. 10/2011/EC with amendments, relating to materials and articles intended to come into contact with food, unless otherwise stated. In accordance with EU legislation, it is the responsibility of the customer to ensure that the supplied product is suitable for the intended use.

Shelf life: The compliance of the product to the technical specifications in this data sheet is guaranteed for 12 months after the date of the delivery subject to suitable storage. Suitable storage include protection of e.g. direct sun light, rain, very low temperatures or very high temperatures over a long period.

Quality information: Deviations in the product specifications in this data sheet of 0.025% or less (i.e. 25 items per 100,000) are considered acceptable in the industry and therefore cannot be construed as a defect. Also, please refer to the General Sales Terms and Conditions in force at the time of delivery.

Compliance and product suitability: For all information related to food contact compliance and product suitability ask for the Declaration of Compliance.