

PRODUCT SPECIFICATION

Product name: Spec code: Date of issue: semperguard® Xpert NOT-063GB-N-3CZ 28-Aug-2017

Type
Labelling
Shape
Material
Colour
Inner
Outer
Cuff/surface
Storage life

single use disposable protective glove, non sterile
all information on dispenser box
ambidextrous - straight fingers
Nitrile Butadiene Rubber (NBR) [not made with natural rubber latex]
green blue
online chlorinated / powder free
no treatment
rolled cuff/textured
3 years

| Avai | lah | la | cizo |
|------|-----|----|------|
| nvai | ıau | ıc | SIZC |

S (6-7) M (7-8) L (8-9) XL (9-10)

| Min. thickness [in mm] | Finger | Palm | Cuff |
|------------------------|--------|-------|-------|
| single measured | 0.150 | 0.110 | 0.100 |
| double measured | 0.30 | 0.22 | 0.20 |

| | Before aging | After aging | Testing method |
|------------------|--------------|-------------|----------------|
| Elongation | min. 500 % | min. 400 % | ASTM D6319 |
| Tensile strength | min. 14 MPa | min. 14 MPa | ASTM D6319 |

| AQL (for pinholes) | ≤ 1.5 | EN 374-2 EN 455-1 |
|-------------------------------------|----------------|----------------------|
| Residual powder / Powder content | ≤ 2 mg/glove | EN 455-3 |
| Force at break | median ≥ 6.0 N | EN 455-2 |
| Length | median 240 mm | EN 455-2 |

Storage instructions

Store according to ISO 2230:2002. Ensure that the area is kept cool, dry and dust free, avoid ventilation and storage close to photocopy equipment. Copper-ions discolour the glove. Protect gloves against ultraviolet light sources, as sunlight and oxidizing agents. Storage above 30°C will lead to accelerated aging and should be avoided.

Page 1/2

semperguard® Xpert

NOT-063GB-N-3CZ_Version E_August 2017_EN

Replaces all previous versions and valid for 2 years after date of issue

Standards, guidelines & quality certificates

| Quality certification | ISO 9001 ISO 14001 OSHAS 18001 |
|-------------------------------|---|
| Conformity to directives | Personal Protective Equipment 89/686/EEC: Cat III for complex risks |
| Confomity to standards | EN 420 EN 455 1-3 EN 374-1-3 |
| | ASTM D6319 |
| Conformity to food regulation | 1935/2004 (EC) |
| labelling according to | EN 420 EN 374 |

Warning and reporting system

Potentially allergenic ingredients

This product contains accelerators (Dithiocarbamate type, Zinc-mercaptobenzothiazol) not to be used in a hypersensitivity of these substances.

For further information, the actual version of the ingredients list is given on request.

Authorized signatory

Product management

Regulatory affairs

C. Eichler

A. Scharl

J. Glantschnig

Page 2/2

semperguard® Xpert

NOT-063GB-N-3CZ_Version E_August 2017_EN

Replaces all previous versions and valid for 2 years after date of issue